

# The Impact of Internet Technology on Spiritual Health of College Students

CHIN-MOU CHENG, YAO-YUAN LIU, RONG-LAIN HO

Department of Industrial Technology Education

National Kaohsiung Normal University

116, Ho Ping 1Rd., Kaohsiung, Taiwan

TAIWAN, REPUBLIC OF CHINA

, <http://www.nknu.edu.tw/>

*Abstract:* - The popular tendency of Internet was undoubtedly a focal point of revolution in information technology. The effect of Internet technology on medical health could enhance the human material civilization, longevity and livelihood quality, but its impact was so strong to our spiritual health. It caused human addiction to technology and sometimes mental disorder. The purpose of this article was to explore the impact of Internet technology on students' spiritual health, and to develop a scale about measuring spiritual health for college students. In order to fulfill this purpose, we adopted the method of literature review, consulting with experts, and sampling survey. We designed a new scale of which name was College Students' Spiritual Health Scale (CSSHS) to examine the current situation of students' spiritual health, and factors, reliability and validity were analyzed. This scale consisted of 67 items, and classified into nine factors, such as life stress, stress coping, self-intrinsic exploration, emotion management, spiritual care, spiritual well-being, daily spiritual experience, interpersonal relationship and life meaning. There were 1328 participants, and comprised of first-year students from the two-year and four-year collegiate programs and the five-year associate degree programs at Fooyin University. We implemented CSSHS test in November 2005, and responses to the spiritual health scale of college students were subjected to statistical analysis via using SPSS for Window. Conclusions and suggestions that purposed from the results were discussed.

*Key-Words:* - CSSHS, Spiritual health, Religious belief, Spiritual well-being, Internet technology, Life meaning

## 1 Introduction

It is an inevitable matter that the impact of technological environment on the mind and spiritual health of college students, and also a topic which the people cared about the current situation of students' spiritual health. Based on the Web of Mind Health Information Association in Taiwan, a truly healthy person is not only a strong body and mind, but also the stable mood and positive life manner. The value of the spiritual health surpassed the jewels and money. The spiritual health comprised the mind health, self-acceptance, living peaceably with the person, adapting positively oneself to circumstances, spiritual well-being, performing one's effective coping behavior in accordance to stress, a low disposition of depression, and receiving the pure religious belief and so on.

The college youths have justly a stage of career exploration, and the painful index of life and spiritual pressure increase and result in melancholic tendency. The students reported overwhelmingly that they felt their reliance on the Web in the future for general informance would increase rapidly[28]. Furthermore, it resulted in Internet addition via reliance on the Web. There were the phenomena of using problematic

Internet[7], using pathological Internet[9] and from stimulus-seeking the performance to the network dependent feeling [21]. Eventually, the impact of Internet technology on college students' spiritual health would often occur. Therefore, it should be the cardinal importance that how to develop a scale of measuring students' spiritual health in Internet technological environment. Based on the WHO defined "health" as "being a state of complete physical, mental and social well-being and not merely the absence of disease or infirmity." The holistic health covered physical, psychological and spiritual domains for promoting the quality of life. This paper aimed at the psychological and spiritual domains in view of promoting health level for college students. Health involves a holistic integration of the physical, emotional, spiritual, intellectual, and social dimensions of people's livelihood.

The health is justly as a pyramid which could divide into three parts: physical, mental and spiritual. A complete health comprised the satisfactory state of physiological, psychological and spiritual needs. The current students enjoy the high quality of material life with the noble clothes and the delicacy, but their spiritual life are vanity. Now technology innovation

is the main developmental force in the 21<sup>st</sup> century knowledge-based economy, and health is the cardinal focus of the technological innovation. Current emerging technology, such as Internet in medical health technology, accompanied with advanced information and communication technology brought undoubtedly the human civilization of material expansion, longevity and livelihood quality. The impact of Internet technology is very strong to our spiritual health. It caused human addiction to technology and sometimes mental disorder. It is an important engineering construction of spirituality for solving the problem of spiritual health for students. In the technology of virtual reality, the interaction of human-machine had a direct and indirect effect on a subject's performance. The direct effects of virtual reality simulations on the users involve energy transfer at the tissue level and are potentially hazardous. The indirect effects are neurological, psychological, sociological, or cybersickness and affect the user at a higher functional level [5]. We inferred the impact that Internet technology affected the user's spiritual health at a higher level to describe deliberately the purposes of this study as follows:

1. To understand the current situation of spiritual health for college students under the impact of Internet technology.

2. To develop a scale to assess the spiritual health for college students and adopt a protective strategy of depressive tendency for students of spiritual illness.

## **2 Documentary Review**

### **2.1 Spiritual health and depression tendency**

The assessment of spiritual health could include some indicators, such as connecting to others, meaning derived from living, transcendence, religion attachment and introspection for oneself and etc. The spiritual health may be acted as a power and resource to a person. By means of transcendence, the spiritual health may assist a person to enjoy their meaningful life. Research showed that there was a negative significant correlation between spiritual health and depressive tendency. Participants who reported lower scores of health status were more likely to reported lower scores in spiritual health [18]. We should further explore the relationship between spiritual health and depression tendency. Depression is an abnormal and persistent state of very low mood, sufficient to interfere with enjoyment of life. Typical accompanying signs are slowness of speech and movement, loss of interest and appetite, disturbed sleep pattern and feelings of guilt, low self-esteem, and pessimism. Depression also has a large impact on the spiritual health of a person.

The spiritual health had a negative correlation with perceived stress and depression. There was a positive correlation between perceived stress and depression and an interaction between spiritual health and perceived stress for depression. It indicated that the better spiritual health could reduce depression more effectively on a given level of perceived stress. The higher the perceived stress was, the better the depression could be buffered by the spiritual health [19]. Gowing [16] describes a spiritually healthy person as: one who possesses the universal and unchanging values in their highest and purest forms, such as truth, right action, peace, love, and non-violence. Like Daniel, he had an excellent spirit, and knowledge, and understanding (Daniel 5:12; 6:3). Extensive empirical support exists for contribution of spiritual well-being to physical, psychological, and social well-being by using the Spiritual Well-being Scale [14] to understand the spiritual health.

### **2.2 Spiritual health and Internet technology**

In the environment of Internet technology, research showed that computer anxiety and 'threshold effect' was found to correlate with the student's perception of computer skills and ambiguity [3]. On exploring the two-way interaction between external technology information environment and bodily and mental reactions, there appears to be an increased awareness of human aspects when risks and benefits of the rapid spread of information technologies were discussed [1]. The rapid technological transformation occurring in both work and social life, Internet technology should sufficiently take into account during the planning and implementing study project. It is important to manage and cope with fatigue so that the people do not damage their spiritual health. The management of mental fatigue is important from the viewpoint of occupational risk, productivity, and occupational health management in the environment of Internet technology [29]. It is predicted that psychosomatic syndromes in the workplace will most likely increase in the foreseeable future due to the rapid changes currently transcending working life [2]. To protect the spiritual health in Internet technology was a focal matter. Another study showed that using the multimedia resource was to augment the students' learning during their practice placement and enable them to re-examine the issue of psychosis from a multiplicity of perspectives [11]. It indicated a way to decrease psychosis and increase spiritual menth. In addition, a research showed high prevalence in interpersonal sensitivity, depression, anxiety and hostility; there were significant differences in adolescents' mental health problems between gender and age [20]. Thus, it was very important to influence

the development of better mental health programs for adolescents in Internet technology.

### **2.3 Spiritual health and religious belief**

The related researches of spiritual health and religious belief, such as adopting an adaptational-continuum model of personality and coping that used Ferguson's [15] model integrating personality and coping factors to combine theories surrounding religious personality and religious mental health [23]. The research results suggest that when applying Eysenck's model of personality to spirituality, it is extraversion that accounts for most variance in spirituality scores; a new avenue of empirical investigation in which wider concepts of spirituality and religion can be examined within Eysenck's model of personality [24]. Another study sought to better understand the relationship between religion/spirituality and physical health and mental health. Hierarchical multiple regression analyses revealed significant associations between components of religion/spirituality and physical and mental health. Private religious practice was inversely related to physical health outcomes, indicating that those who were experiencing worse physical health were more likely to engage in private religious activities, perhaps as a way to cope with their poor health. Forgiveness, daily spiritual experiences, religious support, and self-rankings of religious/spiritual intensity predicted significantly mental health status [13]. The relationship between spirituality and health emphasized that religion may have both costs and benefits for the health of those with chronic pain, and could explore further the relationship between spiritual health and religious belief for this study.

### **2.4 Spiritual health and stress coping**

The related study showed that negative life events, perceived stress, greater use of the negative coping methods of anger and helplessness, and less use of the positive coping methods of parental support and cognitive coping were significantly related to smoking status [33]. And higher levels of media literacy were associated with more negative attitudes toward smoking and less smoking behavior [31], and explored further the relationship between spiritual health and stress coping for our study. Another study investigating further the relationship between religiosity, stress and psychological distress for undergraduate sample, the results provide evidence that religiosity is not associated with psychological distress [30]. Another related research in Taiwan, nursing students entering clinical practice for the first time in a five-year associate degree program are young and have questionable coping skills, all of which can affect their own health. Results showed that stress of students came mainly from the lack of

professional knowledge and skills as well as caring of patients; the most common response to stress was social behavioral symptoms; staying optimistic had a positive main effect and improved physio-psychosocial status; problem-solving behavior also had a positive main effect [32]. That study had an important implications for nursing educators in helping their students to overcome stress during clinical practice, and explore further the relationship between spiritual health and stress coping.

### **2.5 The development of spiritual health scale**

We adopt some indicators, such as spirituality, religiosity, lifestyle choices, and so forth, to assess the spiritual health for developing a scale. The spiritual health could be assessed through completing a questionnaire or scale with spirituality, religiosity, depressive symptoms and health-risk behavior. Most of adolescents reported some connection with religious and spiritual concepts, and those with higher levels of spiritual well-being, in particular, existential well-being, had the fewer depressive symptoms and fewer risk-taking behaviors [6]. This supports the inclusion of these concepts to promote a healthy adolescent development, and in expanding our investigations beyond religious identification or attendance at religious services to broader concepts of spirituality. The spiritual health instrument, such as Spirituality Scale being a holistic instrument that attempts to measure the beliefs, intuitions, lifestyle choices, practices, and rituals representative of the human spiritual dimension. Findings indicated that three factors of spirituality assist in facilitating the inclusion of spirituality in health care and have the potential to provide a transforming vision [10].

Another study examined the malleability of spirituality among students, and result revealed a statistically significant difference between the three groups, with the treatment group demonstrating the highest levels of spiritual health. If spirituality is at the core of one's health, the implications for promoting health are significant [26]. Another scale development, such as Quality of Life, demographic variables examined, only age was significantly associated with quality of life scores [4]. In addition, the survey questionnaire contained 'The Spirituality and Spiritual Care Rating Scale' a newly constructed instrument to aid the investigation and measurement of Spirituality and Spiritual Care. It suggested four factor-based subscales: spirituality, spiritual care, religiosity, personalised care. Confirmatory Factor Analysis is recommended in order to cross-validate and refine this new Rating Scale [27]. Another study constructed a measure of spiritual meaning, defined as the extent to which an individual believes that life or some force of which life is a function has a

purpose, will, or way in which individuals participate, to supplement measures of personal meaning and implicit meaning. Constitute the Spiritual Meaning Scale (SMS) by using Likert-format items to exhibit desirable psychometric characteristics. Along with measures of personal meaning, implicit meaning, and the Big Five personality dimensions, the SMS was analyzed in relationship to mental health measures (hope, depression, anxiety, and antisocial features). Regression analyses indicated that each of the meaning variables explained variance in hope and depression beyond the variance explained by the Big Five personality factors [25]. The scales development of the aforementioned spiritual health could further develop an applicable scale for our study.

### 3 Methods

We adopt the documentary review, interview with experts in realm of spiritual health and survey method to achieve the purposes mentioned above.

#### 3.1 Participants

We interview with 8 experts in spiritual health, and draw up 9 indicators to develop a scale of spiritual health. The validity coefficient is a desirable level through the interactional relation which experts revising or eliminating items from original scale.

There were 1328 participants, comprised of first-year students from the two-year and four-year collegiate programs and the five-year associate degree programs at Fooyin University in Taiwan.

#### 3.2 Materials

We developed the College Students' Spiritual Health Scale (CSSHS) and factors, reliability and validity were analyzed. CSSHS consisted of 67 items, classified into nine factors, such as life stress, stress coping, self-intrinsic exploration, spiritual care, spiritual well-being, emotion management, daily spiritual experience, interpersonal relationship and life meaning. We derived CSSHS from several rating scales of domestic and foreign scales, such as Spiritual Health Scale[18]; Personal Stress Scale, Beck Depression Scale [19]; Spirituality and Spiritual Care Rating Scale[27]; Spiritual Meaning Scale[25]; Ryff's Scales of Psychological Well-being [12]; Daily Spiritual Experience Scale[10]; and Quality of Life [4], and etc. We designed CSSHS to examine the current situation of spiritual health of college students in nine factors. The items of original scale were revised through 3 times, and there were 67 items of final scale. Factor Analysis was performed in an attempt to establish construct validity and to identify any underlying associations between items in the scale. CSSHS covered nine subscales: life stress (items 1-7), stress coping (items 8-12), self-

intrinsic exploration (items 13-25), spiritual care (items 26- 34), daily spiritual experience (items 35-41), emotion management (items 42- 49), spiritual well-being(items 50- 55), interpersonal relationship (items 56- 62)and life meaning (items63-67).

#### 3.3 Procedure

The sampling survey of CSSHS were implemented in 7-15 November 2005. Participants rated each item on a 5-point, Likert scale ranging from 'totally disagree'(1 point) to 'totally agree'(5 point),and responses to the spiritual health scale were subjected to statistical analysis via using SPSS for Window.

### 4 Results

According to 1328 subjects responding to items in CSSHS, reliability, validity, and factor analysis were examined by using Pearson correlations, ANOVA, and regression analyses.

The results showed that 67-item CSSHS had a very high level of internal consistency reliability, its Cronbach's  $\alpha$  coefficient was 0.925. And Cronbach's  $\alpha$  coefficient of nine subscales were 0.721, 0.732, 0.793, 0.861, 0.845, 0.874, 0.832, 0.876, and 0.847, and it showed that the internal consistency reliability of all nine subscales achieved a very high level. Subscales carry on the validity test of construction by a main axle fact or analysis, and the result could explain that the total variation weighs.

Table 1 Cross-correlations of factors

	A	B	C	D	E	F	G	H	I	J
A Perason significance	1	.036	.320	-.033	-.030	.059	-.006	.045	.094	.290
B Perason significance	.195	1	.120	.337	.189	.429	.383	.303	.405	.506
C Perason significance	.320	.120	1	.265	.089	.329	.292	.352	.319	.613
D Perason significance	-.033	.337	.265	1	.505	.474	.584	.451	.465	.720
E Perason significance	-.030	.189	.089	.505	1	.298	.522	.271	.308	.541
F Perason significance	.059	.429	.329	.474	.298	1	.674	.603	.605	.763
G Perason significance	-.006	.383	.292	.584	.522	.674	1	.561	.617	.779
H Perason significance	.045	.308	.352	.451	.271	.603	.561	1	.648	.731
I Perason significance	.094	.405	.319	.465	.308	.605	.617	.648	1	.743
J Perason significance	.290	.506	.613	.720	.541	.763	.779	.731	.743	1

Note-- A: life stress; B: stress coping; C: self-intrinsic exploration; D: spiritual care; E: daily spiritual experience; F: emotion management; G: spiritual well-being; H: interpersonal relationship; I: life meaning; J: spiritual health(total).

The results showed that the relationship among spiritual health and 9 factors were all very significant

correlation(.000)(see Table 1). Nine factors were predictable variables to spiritual health by stepwise regression analysis, and revealed that all attained a very significant level( $p<.000$ ) by ANOVA.

Table 2 Mean and SD of Gender and Program

Gender, program mean SD	Spiritual health (Total scores)	
Male(N=348) mean SD	221.48	25.540
Female(N=980) mean SD	229.62	24.742
4- year program(N=564)	226.28	23.934
2- year program(N=445)	231.22	25.950
5- year program(N=319)	224.39	25.764
Total (N=1328) mean SD	227.48	25.199

Table 3 ANOVA analysis on Gender

Variance	SS	df	MS	F	sig.
Spiritual health B-group	17005.334	1	17005.334	27.311	.000
W-group	825650.364	1326	622.662		
Total	842665.699	1327			

Table 4 ANOVA analysis on program

Variance	SS	df	MS	F	sig.
Spiritual health B-group	10085.763	2	5042.882	8.026	.000
W-group	832569.936	1325	628.355		
Total	842665.699	1327			

The results showed that female was more superior than man on spiritual health(see Table2, Table3), and two-year collegiate program was more superior than four-year collegiate program and the five-year associate degree program(see Table2, Table4). We would explore further the causes of these variances, and connect spiritual health with Internet technology.

## 5 Conclusions and Suggestions

We derived CSSHS from several rating scales of the domestic and foreign scales, and consulting with experts in the realm of spiritual health in order to develop smoothly a scale. CSSHS consisted of 67 items, classified into nine factors, such as life stress, stress coping, self-intrinsic exploration, spiritual care, spiritual well-being, emotion management, daily spiritual experience, interpersonal relationship and life meaning, and these factors were predicable variables to spiritual health.

Through the data analysis of 1328 participants by SPSS software for Window, the results showed that the relationship among spiritual health and 9 factors were all very significant correlation. It indicated that we regarding 9 factors as predictive indicators of spiritual health were available. The 67-item CSSHS used in this study demonstrated a very high level of internal consistency reliability, its Cronbach's  $\alpha$  coefficient was 0.925.

The suggestions of this study are to revise CSSHS with the higher reliability and validity to examine the students' spiritual health in Internet technology; educators are challenged to prepare graduates in meeting the needs of individuals with a mental illness

within an increasingly Internet technology-based environment; to apply the revised CSSHS to assess effectively the network behavior to evaluate the students' preferences, advantages and disadvantages, and learning, as well as qualitative evaluation of students' critical thinking, supports the value of online teaching in general health education; and to connect research with teaching in technical education with quantitative and qualitative method. Another potential use for the CSSHS may be in the area of spiritual healthy assessment for use both in practice and education. However, in order to achieve this aim we will further examine statistical development of the CSSHS, and may score the related items and factors may be scored in an attempt to provide the researcher or educator with an insight into the spirituality and Internet technology of respondents view. Further research with similar populations and samples large enough to permit structural equation modeling (SEM) is recommended in order to validate and refine this newly developed Instrument.

After the development of scale , we will contribute toward overcoming the spiritual illness by promoting project of spiritual health. Teachers could cope with types of stressors, such as a serious student problem, a serious problem with an administrator or teacher; and typical problems with preparing for class. Then assessing the coping strategies of teachers is consistent with the coping theory [17]. This requires the development and evaluation of educational strategies that immerse students in web-based learning [22]. We would present an overview of a embedded teaching design that include classroom teaching and asynchronous threaded discussion in a teaching module of spiritual health promoting course for undergraduate students.

### References:

- [1]Arnetz, B. B. (1998). Technological stress: Psychophysiological aspects of working with modern information technology. *Occupational Health and Industrial Medicine*. 38, 3. pp.120
- [2]Arnetz, B.B.; Wiholm, C. (1997).Technological stress: Psychophysiological symptoms in modern offices. *Occupational Health and Industrial Medicine* 37,5 pp.226
- [3]Beckers, John J.; Rikers, Remy M.J.P.; Schmidt, Henk G.(2006). The influence of computer anxiety onexperienced computer users while performing complex computer tasks. *Computers in Human Behavior*. 22, 456–466.
- [4]Bradford, R., Rutherford, D. L., John, A. (2002). Quality of life in young people: ratings and Factor structure of the Quality of Life Profile- Adolescent Version. *Journal of Adolescence*. 25, 261–274.

- [5]Burdea, G. C., Coiffet, P. (2003), *Virtual Reality Technology* (2<sup>nd</sup> edition), John Wiley & Sons, Inc., Hoboken, New Jersey.
- [6]Cotton, S., Larkin, E., Hoopes, A. (2005). The impact of adolescent spirituality on depressive symptoms and health risk behaviors. *Journal of Adolescent Health*, 36, 6, pp.529e7-e14
- [7]Caplan, S. E. (2002) Problematic Internet use and psychosocial well-being: development of a theory-based cognitive-behavioral instrument. *Computers in Human Behavior*. 18, 553-575.
- [8]Chung Tsui-Fen (2000). The Assessment of Health Status and Needs of the Residents' Body, Mental, and Spiritual in Nursing Home. Master Thesis of National Yunlin University.
- [9]Davis, R. A. (2001) A cognitive-behavioral model of pathological Internet use. *Computer in Human Behavior*, 17. 2. 187-175.
- [10]Delaney, C. (2005). The Spirituality Scale: Development and Psychometric Testing a Holistic Instrument to assess the human spiritual dimension. *Journal of Holistic Nursing*, 145-167.
- [11]Denny, M.; Higgins, A. (2003). The use of computer assisted technology to enhance student psychiatric nurses learning during a practice placement. *Nurse Education in Practice*. 80-88.
- [12]Dierendonck, D. (2005). The construct validity of Ryff's Scales of Psychological Well-being and extension with spiritual well-being. *Personality and Individual Differences*. 36, 629-643.
- [13]Elizabeth, R., Altmaier, E. M.; Chen, J. ; Found, E. M.; Keffala, V. J. (2005). The relationship between religion/spirituality and physical health, mental health, and pain in a chronic pain population. *Pain*, 116, 3, 311-321
- [14]Ellison, C.W., & Smith, J. (1991). Toward an Integrative measure of health and wellbeing. *Journal of Psychology and Theology*, 19, 35-48.
- [15]Ferguson, E. (2001). Personality and coping traits: a joint factor analysis. *British Journal of Health Psychology*, 6, 311-325.
- [16]Gowing, B. (2002). *Educare*. Sri Sathya Sai Organisation of Australia and Papua New Guinea.
- [17]Green, S.; Ross, M. E.(1996).A theory- based measure of coping strategies used by teachers: the problems in teaching scale. *Teaching and Teacher Education*. 12, 3, 315-325.
- [18]Hsiao, Ya-chu (2003). Study of the relationships between spiritual health and stress of clinical practice, depressive tendency, self- rated health status in nursing students. Dissertation of NTNU.
- [19]Huang, Hui-chen (2002). Relationships between spiritual health, perceived stress and depression in college students. Master Thesis of NTUN.
- [20]Kim, Young-Ho (2003). Correlation of mental health problems with psychological constructs in adolescence: final results from a 2-year study *International Journal of Nursing Studies*. 15-124.
- [21]Lin, S. J., Tsai, C. C. (2002). Sensation seeking and Internet addiction. *Computers in Human Behavior*, 18, 411-426.
- [22]Mahoney, J. S., Marfurt, S.(2005). Design and Evaluation of an Online Teaching Strategy in an Undergraduate Psychiatric Nursing Course. *Archives of Psychiatric Nursing*, 19, 6, 264-272.
- [23]Maltby, J., Day, L. (2004). Integrating models of religious personality and religious mental health. *Personality and Individual Differences*. 36, 1275-1290.
- [24]Maltby, J., Day, L. (2001).Spiritual involvement and belief: relationship between spirituality and Eysenck's personality dimensions. *Personality and Individual Differences*, 30, 2, 187-192.
- [25]Mascaro, N. , Rosen, D. H., Morey, L. C. (2004). The development, construct validity, and clinical utility of the spiritual meaning scale. *Personality and Individual Differences*. 37, 845-860.
- [26]McGee, M., Nagel, L., Moore, M. K.(2003). A study of university classroom strategies aimed at increasing spiritual health. *College Student Jour.*
- [27]McSherry, W., Draper, P., Kendrick, D. (2002). The construct validity of a rating scale designed to assess spirituality and spiritual care. *International Journal of Nursing Studies*. 39, 723-734.
- [28]Metzger, M. J., Flanagin, A. J., Zwarun, L.(2003). College student Web use, perception of informance credibility, and verification behavior. *Computer and Education*. 41, 271-290.
- [29]Murata, A.; Uetake, A.; Takasawa, Y. (2005). Evaluation of mental fatigue using feature parameter extracted from event-related potential *International Journal of Industrial Ergonomics*. 35, 8, 761-770
- [30]O'Connor, D.; Cob, J.; O'Connor, R. (2003). Religiosity, stress and psychological distress: no evidence for an association among undergraduate students. *Personality and Individual Differences* 34, 2, 211-217.
- [31]Primack, B. A. etc. (2006). Associations between media literacy and adolescent smoking. *Journal of Adolescent Health*. 38, 93-111.
- [32]Sheu, S., Lin, H-S. (2002). Perceived stress and physio-psycho-social status of nursing students during their initial period of clinical practice: the effect of coping behaviors. *International Journal of Nursing Studies*, 39, 165-175.
- [33]Siqueir, L.; Dia, M. (2000). Becoming smokers: Adolescents roles of stress and coping methods *Journal of Adolescent Health*, 27, 6, 399-408.