

Editor

Carlos M. Travieso-Gonzalez






Recent Advances on Biomedical Sciences

Proceedings of the 11th International Conference on Cellular and Molecular Biology, Biophysics and Bioengineering (BIO '15)

Seoul, South Korea, September 5-7, 2015

Proceedings of the 4th International Conference on Health Science and Biomedical Systems (HSBS '15)





RECENT ADVANCES on BIOMEDICAL SCIENCES

Proceedings of the 11th International Conference on Cellular and Molecular Biology, Biophysics and Bioengineering (BIO '15)

Seoul, South Korea September 5-7, 2015

Proceedings of the 4th International Conference on Health Science and Biomedical Systems (HSBS '15)

Sliema, Malta August 17-19, 2015

Recent Advances in Biology and Biomedicine Series | 9

ISSN: 1790-5125

ISBN: 978-1-61804-334-4

RECENT ADVANCES on BIOMEDICAL SCIENCES

Proceedings of the 11th International Conference on Cellular and Molecular Biology, Biophysics and Bioengineering (BIO '15)

Seoul, South Korea September 5-7, 2015

Proceedings of the 4th International Conference on Health Science and Biomedical Systems (HSBS '15)

Sliema, Malta August 17-19, 2015

Published by WSEAS Press www.wseas.org

Copyright © 2015, by WSEAS Press

All the copyright of the present book belongs to the World Scientific and Engineering Academy and Society Press. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the Editor of World Scientific and Engineering Academy and Society Press.

All papers of the present volume were peer reviewed by no less that two independent reviewers. Acceptance was granted when both reviewers' recommendations were positive.

ISSN: 1790-5125

ISBN: 978-1-61804-334-4

RECENT ADVANCES on BIOMEDICAL SCIENCES

Proceedings of the 11th International Conference on Cellular and Molecular Biology, Biophysics and Bioengineering (BIO '15)

Seoul, South Korea September 5-7, 2015

Proceedings of the 4th International Conference on Health Science and Biomedical Systems (HSBS '15)

Sliema, Malta August 17-19, 2015

Editor:

Prof. Carlos M. Travieso-Gonzalez, University of Las Palmas de Gran Canaria, Spain

Committee Members-Reviewers:

Kamal Emam Magdy Gebril Adel Gad

Mohamed Sayed Salama Akila M. El-Shafie Bahira El-Sawaf Dalia A. M. Salem Nadia Helmy

Mona Salah Eldin Hassan Talaa Abdelsattar Mohamed Sallam

Mahmoud El-Sayed Mohamed Ismail Roushdy

George Barreto

Athanassios Stavrakoudis Kalaivani Doraisamyraja Mahboobeh Mahmoodi Jose Alberto Duarte Moller

Babak Khalili Hadad Hugo Cruz-Suarez Panagiotis Gioannis Azlinah Mohamed Sorinel Oprisan Ozlem Coskun

Mohammad Al-Amri

Montri Phothisonothai

Pedro Nucci Karel Allegaert Svetla Vassileva Tiberiu Socaciu

Diana Cotoros

Howe Hing Tang Collin

In?cio Fonseca

Carlos Rivas-Echeverria

Haiam Aboul Ela Antigona Trofor JainShing Wu Zengshi Chen

Vinod DS

Yoshiyuki Tohno Manjunath KN

Mihai Caramihai

Alexander N. Pisarchik

Md. Shamim Akhter Krishnaveni Marimuthu

Khin Wee Lai Dhaval Vyas Carla Pinto

Corina Carranca

Claudia A. F. Aiub

Muhammad Musaddique Ali Rafique

Tsvetelina Draganova Daniela Cristina Momete

Sk. Sarif Hassan

Mansooreh Shariatmadare Tehrani

Yuqing Zhou Hongjun Liu Dana Anderson Serban Corina Walid Oueslati Ming-Shen Jian Marcio Dorn Theodoros Xanthos

Yong Kheng Goh

Table of Contents

Plenary Lecture 1: Control Functions and Bipolar Potentials in Excitatory Cells -	9
Characteristics of Neuron and Unicellular Organism	
Atsushi Fukasawa	
	4.0
Plenary Lecture 2: The Usage of Liver Extract Versus Growth Factors in the Differentiation of	10
Mesenchymal Stem Cells into Hepatocyte Like Cells	
Shaden Muawia Hanafy	
Phase Space Reconstruction of Optogenetic Data	11
Sorinel A. Oprisan, Tamas Tompa, Patrick E. Lynn, Antonieta Lavin	
Sormei A. Oprisan, Tamas Tompa, Tairick E. Lynn, Antonieia Lavin	
Activity of a Neuron for Characteristic Potential Waveforms of Pulse and Plateau with Positive	20
and Negative Polarities	
Yumi Takizawa, Atsushi Fukasawa, Kazuhiko Natori	
Fully Automatic Segmentation and Detection of Pulmonary Artery and Embolism in CTA	28
<mark>Images</mark> Jamshid Dehmeshki, Y. Ebrahimdoost, S. D. Qanadli	
Jamshia Denmeshki, 1. Ebranimaoosi, 5. D. Qanaan	
Laryngograph as a Tool in Diagnosis and Therapy of Voice Disorders	34
Jolanta Zielińska, Ewa Brzdęk	
A Computational Study of a Prebiotic Synthesis of L-Tyrosine	39
Nigel Aylward	
	47
Statistical Methods in Healthcare Management: Case Study of Slovenian Clinic	47
Nadja Damij, Franc Jelenc, Jana Suklan	
Positive and Negative Action Potentials in Paramecium Relating to Neurons	54
Yumi Takizawa, Atsushi Fukasawa, Hiro-aki Takeuchi	54
Tum Tumzawa, Msusii Tumusawa, 11110-um Tumeuchi	
Oxidative Stress in Diabetes: Ammonia Breath Analysis by Laser Photoacoustic Spectroscopy	61
Mioara Petrus, Ana-Maria Breatu, Cristina Popa	
Activity of a Neuron for Generation of Pulse and Plateau with Positive and Negative Potentials	65
Atsushi Fukasawa, Yumi Takizawa	
D. P. LA P. C. COOL D. A. C. C. A.	70
Biomedical Applications of CO2 Laser Photoacoustic Spectroscopy	72
Cristina Popa, Mioara Petrus, Ana M. Bratu	
A Computational Study of a Prebiotic Synthesis of L-Valine	75
Nigel Aylward	, 5
inger isymula	
Do Excel and iGrafx Provide the Same Healthcare Process Simulation Results?	81
Nadja Damij, Franc Jelenc, Biljana Mileva Boshkoska	

Investigation of Mechanical Properties of a Biocompatible Film from Riboflavin and Gelatin	88
Bariş Demirbay, Gülşen Akin Evingür, Fatma Gülay Acar	
The Viscosity Behavior of Biocompatible Solutions Including Riboflavin and Gelatin	91
Bariş Demirbay, Fatma Gülay Acar	
DaVinci System, a Partner or just a Tool? Săvulescu Florin, Cîrlan Cristian	95
Activity of Bipolar Potential Generation in Paramecium Yumi Takizawa, Atsushi Fukasawa, Hiro-aki Takeuchi	98
Tumi Takizawa, Aisusiii Fukasawa, 11170-aki Takeuciii	
Preparation of Chitosan Magnetic Nanoparticles Loaded Recombinant Tissue Plasminogen Activator for Targeted Thrombolysis Jyh-Ping Chen, Hao-Lung Hsu	105
HLA-C Gene in Hepatitis C Virus Infected Patients in Egypt, to Estimate the Relation Between HLA-C Gene and Interferon / Ribavirin as Treatment for Hepatitis C Virus Shaden Muawia Hanafy, Amal Ahmed Abbas, Safy Kabeel Aly Mansour	112
Shaden Mudwid Handjy, Amai Ahmed Abbas, Safy Kabeet Aty Mansour	
Measurement of Intra-Abdominal Fat Thickness Using Ultrasound for Visceral Fat Estimation Robby Hermawan, Irma H. Hikmat, Ristaniah D. Soetikno, Eko Supriyanto, Saravana Kumar Jaganathan	118
Binaural Beat Entrainment Effect on Prefrontal and Parietal Brain EEG in Theta Frequency Muhammad Wildan Gifari, Sheikh Mohamad Said, Jostinah Lam, Noraini Jalil, Eko Supriyanto	124
Evaluation of Cardiac Markers Using Radar Chart	130
Tay Yii Cheng, Mochrosin, Muhammad Haikal Satria, Eko Supriyanto, Jasmy Yunus	
Nonlinear Patterns During the Temporal Organization of Self-Initiated Movement Juliana Dushanova	137
Reduction Mercury-Polluted Water in Gold Mine with Anaerobic Bacteria Prima Endang Susilowati, Sapto Raharjo, Rachmawati Rusdin, Misrawati, Siti Nur Hajiran, Sarfina, Muzuni	142
Fabrication of Porcine DNA Biosensor Based on [Ru(bpy)2PIP]2+ Complex Nurul Izni Abdullah Halid, Haslina Ahmad, Lee Yook Heng, Nurul Huda Abd. Karim, Siti Norain Harun, Siti Aishah Hasbullah	147
Biological Activity of Minimal Dose of Aerosolized Interferon-α in Male Albino Rats Khalil A. El-Halfawy, Shaden M. Hanafy, Bahgat A. El-Fiky, Hassan M. Hassan	150
Authors Index	157

Plenary Lecture 1

Control Functions and Bipolar Potentials in Excitatory Cells – Characteristics of Neuron and Unicellular Organism



Professor Atsushi Fukasawa Institute of Statistical Mathematics Japan E-mail: takizawa@ism.ac.jp

Abstract: Secretary, muscle, and neural cells in multicellular organism induce excitations for stimulations. Upon reception of external or internal stimulation, potential pulses are induced in excitatory cells when reception potential exceeds threshold. Unicellular organisms are the other type of excitatory cells.

He will present first how unicellular organisms control cilia of paramecium and tentacles of noctiluca. Forward or backward movements by cilia of paramecium, and expansion or contraction of food gathering tentacles of noctiluca are controlled by positive and negative potentials generated in a single cell.

Recently not only positive potential (pulse and plateau) but also negative potential plateau are reported in studies in neural systems. Common basis of activity in neurons will be presented on dual configuration with Na+ and Cl- as the dominant charges (ions) for bipolar action potentials.

Brief Biography of the Speaker: Atsushi Fukasawa received the Master of Arts degree and Ph.D. degree from Waseda University in 1967 and 1983. He was a professor in Graduate School of Natural Science, Chiba University in 1997. He received the Award of the Agency of Science and Technology, Japan in 1982, and Ohm (publisher) Prize in 1994. He received Telecommunication System Technology Prize from the Foundation of Telecommunication Association, Japan in 2004. He is a senior member of the IEEE.

Dr. A. Fukasawa and his colleague, Dr. Y. Takizawa are the recipients of the Best Paper Award of Neurology'12, SummerMed., WSEAS/NAUN, July 2012.

Plenary Lecture 2

The Usage of Liver Extract Versus Growth Factors in the Differentiation of Mesenchymal Stem Cells into Hepatocyte Like Cells



Professor Shaden Muawia Hanafy Genetic Engineering and Biotechnology research Institute Department of Molecular Biology Sadat City University Egypt

E-mail: shadenmuawia@yahoo.com

Abstract: Liver cell transplantation and cellular-based therapies evolved as viable clinical alternatives to whole organ transplantation required in some liver diseases. Differentiation of stem cells into hepatocyte like cells would provide a renewable source of exogenous hepatocytes for drug toxicity testing and cell-based therapeutics. Many protocols of in vitro differentiation of stem cells into hepatocyte like cells had been employed to check the ability of differentiation as well as the functional efficacy of differentiated cells. But still the exploration of an easy and affordable one is needed to facilitate MSC differentiation into hepatocytes. In this study, we employ three different protocols of differentiation of bone marrow mesenchymal stem cells (MSCs) into hepatocyte-like cells with a view to developing easier and affordable protocol using liver extract verses expensive growth factors cocktails. MSCs were isolated from rat?s bone marrow using the plastic adherence technique. Cells were then sub-cultured till passage 3 for their purification and proliferation. CFU-F assay and immunological characterization was done through the flow cytometric analysis of CD29, CD90 and CD45 surface markers. Flasks then were divided into four groups, first; control group cultured in proliferative media. Second group; cells cultured in hepatocytic differentiation media 1 (HDM) 1 containing FGF-4. Third group; cells cultured in HDM2 containing FGF-4 and HGF and finally fourth group; cultured in HDM3 containing liver extract instead of the previously mentioned growth factors. Cells were tested for their differentiation morphologically and functionally through assessing Urea secretion, glycogen storage and gene expression of albumin by RT-PCR. Flow cytometric analysis showed that after passage 3, the cells do not express hematopoietic marker CD 45 but express the two mesenchymal markers CD29 and CD90. Cells cultured in HDM2 and HDM3showed morphological changes of hepatocyte like cells in day 12 and day 15 respectively, these changes didn?t appear neither in control group nor in cells cultured in HDM1. Urea production and secretion by hepatocytes like cells were detected at various time points throughout differentiation. In the HDM 2 and 3 groups cells produced urea 3 d later, and in a time-dependent manner. On d 24, the amount of urea produced by differentiated bone marrow cells reached the maximum amount and was detected with a concentration of 23.06±11.9 mmol/L on HDM 2, and 20.89±10.44 mmol/L on HDM 3. Cells in the control and HDM 1 groups did not secret any urea. Intracellular glycogen accumulation was analyzed by staining the cells with the PAS reagent. On d 24 accumulation of glycogen was detected in the HDM 2 and 3, while no accumulation of glycogen was found in the other groups. Albumin mRNA was detected by RT-PCR, the results showed that the cells cultivated in HDM 2 and 3 expressed albumin, while in control group and HDM 1 did not. The usage of liver extract in the differentiation of MSCs into hepatocyte like cells proved to be almost as effective as the usual used cocktail of HGF and FGF, yet more affordable and easier approach, thus useful in providing a renewable source of exogenous hepatocytes for drug toxicity testing and cell-based therapeutics.

Brief Biography of the Speaker: Dr Sh. Muawia holds a BSc in Biochemistry from Faculty of Science- Alexandria University-Egypt. She holds a Master degree & a PhD in Biochemistry (1992, 2001 respectively) from the Faculty of Science- Alexandria University. She works as a Professor of Biochemistry and Molecular Biology in the Molecular Biology department in Genetic Engineering and Biotechnology research Institute (GEBRI) - Sadat City University-Sadat City. She is the vice dean of the environmental affaires and community services in the GEBRI.

Her research interests include: Apoptotic signaling pathway and apoptotic markers in different tumors (adult acute myeloid leukemia and in Hepatocellular Carcinoma) and in HCV patients. Single nucleotide polymorphism and gene expression of different genes in various diseases and tumors. Oxidative stress and antioxidant defence beside cytokine expression on the molecular and protein levels. She has 30 publications in highly rated ISI journals and attend 38 conferences.