System Performing Spectrum-based Localization, *IEEE Trans. on Robotics,* vol. 23, no. 6, 2007, pp. 1151-1159.

[15] R. Z. Shi, T. K. Horiuchi, A Neuromorphic VLSI Model of Bat Interaural Level Difference Processing for Azimuthal Echolocation, *IEEE Trans. Circuits and Systems,* vol. 54, 2007, pp. 74-88.

[16] T. Botos, V. Tiponut, A Mobile Robot Control Method with Artificial Neural Networks (I), *Transactions on Electronics and Communications*, Politehnica University Timisoara, Romania, Tom 48(62), Vol. 2, 2003, pp. 3-6.

[17] T. Botos, V. Tiponut, A Mobile Robot Control Method with Artificial Neural Networks (II), *Transactions on Electronics and Communications*, Politehnica University Timisoara, Romania, Tom 48(62), Vol. 2, 2003, pp. 7-10.

[18] R. O. Duda, Modeling Head Related Transfer Functions, *Preprint for the Twenty-Seventh Asilomar Conference on Signals, Systems & Computers*, 1993.

[19] J. Blauert, *Spatial Hearing*, MIT Press, 1997.

[20] C. P. Brown, R. O. Duda, A Structural Model for Binaural Sound Synthesis, *IEEE Transactions on Speech and Audio Processing*, Vol. 6, No. 5, 1998.

[21] D. J. Kistler and F. L. Wightman, A model of head-related transfer functions based on principal components analysis and minimum-phase reconstruction, *J. Acoust. Soc. Amer.*, Vol. 91, 1992, pp. 1637–1647.

[22] E. M. Wenzel, M. Arruda, D. J. Kistler, and F. L. Wightman, Localization using nonindividualized head-related transfer functions, *J. Acoust. Soc. Amer.*, Vol. 94, 1993, pp. 111–123.

[23] Z. Haraszy, D. Ianchis, V. Tiponut, Generation of the Head related Transfer Functions Using Artificial Neural Networks, *Proceedings of the 13th WSEAS International Conference on CIRCUITS*, ISBN: 978-960-474-096-3, ISSN: 1790-5117, Rodos, Greece, July 22-24, 2009, pp. 114-118.

[24] D. Stoppa, L. Pancheri, M. Schandiuzzo, A CMOS 3-D Imager Based on Single Photon Avalanche Diode, *IEEE Trans. Circuits and Systems,* vol. 54, 2007, pp. 4-12.

[25] * * * www.canesta.com.

[26] D. Ianchis, Z. Haraszy, V. Tiponut, Bio-inspired Collision Detection Sensor (to be submitted).