





















*Optimization*, Santander, Cantabria, Spain, 2008, pp. 309-314.

- [5] D. Idris, Y. Le Moullec and P. Eggers, "Design and implementation of self-calibration for digital predistortion of power amplifiers", *WSEAS Transactions on Circuits and Systems*, Vol. 7, Issue 2, 2008, pp. 75-84.
- [6] T. Ogawa, T. Iwasaki, H. Maruyama, K. Horiguchi, M. Nakayama, Y. Ikeda and H. Kurebayashi, "High efficiency feed-forward amplifier using RF predistortion linearizer and the modified Doherty amplifier", *IEEE MTT-S Int. Microw. Symp. Digest*, 2004, pp.537-540.
- [7] Aleksandar Atanasković, Nataša Maleš-Ilić, Bratislav Milovanović, "The Linearization of Doherty amplifier", *Microwave review*, No.1, Vol. 14, September 2008, pp.25-34.
- [8] A. Atanasković, N. Maleš-Ilić, B. Milovanović, "The suppression of intermodulation products in multichannel amplifiers close to saturation", *Proceedings of 11th WSEAS International Conference on Circuits*, Greece, July 2007, pp. 198-201.
- [9] Y. Suzuki, T. Hirota and T. Nojima, "Highly efficient feed-forward amplifier using a class-F Doherty amplifier", *IEEE MTT-S Int. Microw. Symp. Digest*, 2003, pp.77-80.
- [10] J. Kim, J. Moon, Y. Y. Woo, S. Hong, I. Kim, J. Kim and B. Kim, "Analysis of a fully matched saturated Doherty amplifier with excellent efficiency", *IEEE Trans. Microwave Theory and Techniques*, Vol. 56, No. 2, 2008, pp. 328-339.
- [11] J. P. Aikio, T. Rahkonen, "Detailed distortion analysis technique based on simulated large-signal voltage and current spectra", *IEEE MTT Transactions on Microwave Theory and Techniques*, Vol. 53, No.10, 2005, pp. 3057-3065.
- [12] A. Heiskanen, J. Aikio, T. Rahkonen, "A 5-th order Volterra study of a 30W LDMOS power amplifier", *Proceedings of IEEE Int. Symp. on Circuits and Systems (ISCAS)*, Bangkok, Thailand, 2003, pp. 616-619.
- [13] N.Srirattana, A. Raghavan, D. Heo, P. E. Allen, and J. Laskar, "Analasys and design of a high-efficiency multistage Doherty power amplifier for wireless communicaton", *IEEE Trans., Microwave Theory Tech.*, Vol. 53, No. 3, 2005, pp. 852-860.
- [14] M. J. Pelk, W. C. E. Neo, J. R. Gajadharsing, R. S. Pengelly, and L. C. N. de Vreede, "A high-efficiency 100-W GaN three-way Doherty amplifier for base-station applications", *IEEE Trans., Microwave Theory Tech.*, Vol. 56, No. 7, 2008, pp. 1582-1591.
- [15] J. Kim, J. Cha, I. Kim, and B. Kim, "Optimum operation of asymmetrical-cells-based linear Doherty power amplifiers-uneven power drive and power matching", *IEEE Trans., Microwave Theory Tech.*, Vol. 53, No. 5, 2005, pp. 1802-1809.
- [16] B. Ingruber, M. Wachutka, "High-efficiency harmonic-control amplifier", *IEEE Trans. Microwave Theory and Techniques*, Vol. 46, No. 6, 1998, pp. 857-862.