Towards A Utility Based Computational Model for Negotiation between Semantic Web Services

SANDEEP KUMAR, WSEAS Research Department Agiou Ioannou Theologou 17-23 Zografou, 15773, Athens, Greece also with the Department of Computer Engineering, Institute of Technology, Banaras Hindu University, Varanasi-221005, India sandeepkumargarg@gmail.com

> NIKOS E. MASTORAKIS WSEAS Research Department Agiou Ioannou Theologou 17-23 Zografou, 15773, Athens, Greece also with the Technical University of Sofia, Industrial Engineering Department Sofia 1000, Bulgaria <u>mastor@wseas.org</u>

Abstract: - Using the utility-theory for the decision-making process during the negotiation between semantic web services is an appealing one. This paper proposes a computational model for the calculation of utilities of the negotiating semantic web services. The proposed model uses multiple attribute in the utility function and uses the basic values of these attributes such as values for offered price, quality and others. The model is based on a novel understanding that a service requester should remain indifferent to the changes in price or other such values if the corresponding quality has also been changed accordingly. A prototype system has been implemented in support of the proposed model. The work has been evaluated and the betterment has been reported.

Key-Words: - utility, semantic web, semantic web services, negotiation, computation

1 Introduction

Utility theory is the appealing form of representing inputs to decision-making under uncertainty for automated systems because it can readily be mapped onto numerical optimization-based approaches [1]. So, this approach can be well suited for the negotiation between semantic web services (SWSs), as the ultimate aim of the SWSs is to provide automatic support for discovery, composition, and execution of web services by means their explicit semantic annotation [2]. In the semantic web based systems, usually single SWS can not satisfy the user's request and it needs to take the services of other SWSs for getting the tasks done which it can not perform by itself. The SWS requesting services from other SWSs can be called as Service Requester (SR) and the other SWSs satisfying the need of SR can be called as Service Providers (SPs). Before taking the

services from SP, in addition to performing the discovery, selection and composition processes, the SR may also needs to perform the negotiation with the SP to establish an agreement over the various attributes like price, quality, time-period, reliability etc. of the service. The utility of the SR/SP can be used in the negotiation process in the decision-making. The utility of a SR/SP represents its happiness or preference [1]. The paper presents a novel computation model for the utility function for SR and SP. The presented model can also be equally applied for the negotiation in multi-agent systems. The model has also been evaluated by comparing it with other similar reported works. In support of the model, a negotiation system which uses the proposed utility model in the decision-making for negotiation process has also been implemented.

The remainder of the paper is organized as follows. Section-2 deals with the some of similar works already reported in the literature. The proposed utility model has been presented in the section-3. Section-4 presents a possible extension to the proposed utility model. Section-5 deals with the evaluation of the proposed model. The implementation of a negotiation system based on the proposed utility model has been given in Section-6. The work has been concluded in the Section-7.

2 Related Works

Many works are available in the literature which addresses the use of utility functions for negotiation in multi-agent systems. Out of others, some of them to name are: [3], [4], [5], [6], and [7]. However, their works can be useful for the negotiation between SWSs, but they are not directly addressing it. The work in [3] has used the concept of utility theory and uses combination of ease utility and financial utility in the negotiation process. [4] have presented the concept of marginal utility gain and marginal utility cost to structure the search process and to find the solution which maximizes the agents' combined utility. The work uses a multi-attribute utility function into the negotiation process. SCENS [5], a Content Exchange Secure Negotiation System, enables the sharing of sensitive multimodal digital data residing in the distributed digital repositories. Their work proposes the use of utility functions in the negotiation process. [6] in their works have presented an agent based, multi-attribute negotiation model for large-scale construction project supply chain coordination. They have used the concept of utility theory and their negotiation model consists of three processes: attributes evaluation, utility determination, and attribute planning. The work by [7] presents a utility function which also considers the Quality of Service level and provides special consideration to the various attributes involved in the telecommunication services such as quality of medium, type of medium etc. Similar to these reported works, this paper also presents a utility model helpful in the negotiation process for the decisionmaking. The paper presents a utility model using multiple attributes for the utilitycalculation and can be used for the negotiation between SWSs as well as in multi-agent systems. The presented model is based on a novel understanding that if the price. response-time and other such parameters are changed appropriately in accordance with the change in quality, then the utility for that proposal should remain intact. The model presents the utility-calculation using very basic values which are easily available in a negotiation system such as values of price, response-time, quality etc.

3 Utility Model

The utility function should be designed in such a way that it produces such numerical value which increases or decreases to represent the more or less happiness or preference of SR/SP. The SR/SP should be indifferent to the various combinations of values of the different attributes in proposal which produces same utility [1]. So, utility function should be such that it produces same utility value for this type of combinations. Because, for a proposal with attributes (price, quality), if the quality is improved then the corresponding price can also be increased in the required ratio. So, if the price has been increased in the required ratio only, then the utility should remain intact. Let us take a simple example. Let a SWS has utility u for a proposal pr with price value p and quality q and price and quality are related to each other by one-to-one ratio i.e. the ratio in which quality is increased, the price also increased by same ratio. Now, if quality is improved to 1.5q and the price also increased to 1.5p then the utility value should remain the same i.e. u. Our proposed utility function is based on the same understanding.

The utility of a SWS depends upon values of various attributes of the service. The presented utility function is dependent on the multiple attributes of the service. We have considered three main attributes of a service i.e. price, quality, time-period (response time), so utility can be expressed as a function of these attributes,

utility(price, quality, response – time).

Further, the price of a service depends upon the quality of service and the response-time. It is likely that the service provider will expend more resources to provide a higher quality or to complete request in lesser response-time, and to maintain profitability it will want to recoup its extra costs by raising the price for the service [1]. The service provider may also require more response-time if the quality-level is increased. So, following relations will hold:

price
$$\propto$$
 quality ... (1)
price $\propto \frac{1}{response - time}$ (2)
response - time \propto quality (3)

If $P_{initial}$, $Q_{initial}$, $T_{initial}$ be the price, quality, and response-time of a service, then using the above discussion, the relations for calculating the new price and new response-time of service after the change in quality can be derived. So, if Q_{new} is the new quality required, then the percentage change in quality can be represented as follows:

$$\Delta Q = \frac{Q_{new} - Q_{initial}}{Q_{initial}} * 100 \qquad \dots (4)$$

Where, ΔQ is the percentage-change in quality and holds $0 \le \Delta Q \le 100$.

Now, using relation (3), the percentage change in response-time can be calculated as:

$$\Delta T = \frac{K_{TQ} * \Delta Q}{100} \qquad \dots (5)$$

Where, ΔT is the percentage-change in time due to quality change and it holds $0 \le \Delta T \le 100$. K_{TO} is the constant which has value $0 \le K_{TO} \le 100$. Its value is decided by the service provider. It represents the percentage of the percentage-change in quality (ΔQ) with which the response-time should be changed. It means that if the percentage-change in quality (ΔQ) is 80 and $K_{\tau 0}$ is equal to 40, then the percentagechange in response-time (ΔT) will be 32. The $K_{TO} = 100$ implies that the response-time and quality has one-to-one ratio and responsetime should be equally changed as change in quality. The $K_{TO} = 0$ implies that responsetime is not dependent on the quality.

So, the new response-time should be:

$$T_{new} = T_{initial} + \left(\frac{T_{initial} *\Delta T}{100}\right) \qquad \dots (6) \qquad \dots (2)$$

$$\dots (3)$$

In other form, the T_{new} can be represented as:



Now, based on the relation (1), the percentage change in price due to quality change can be derived as follows:

$$\Delta Pq = \frac{K_{PQ} * \Delta Q}{100} \qquad \dots (8)$$

Where, ΔPq is the percentage change in price due to quality-change and it holds $0 \le \Delta Pq \le 100$. K_{PO} is the constant which has value $0 \le K_{PO} \le 100$. Its value is decided by the service provider. It represents the percentage of the percentage-change in quality (ΔQ) with which the price should be changed. It means that if the percentagechange in quality (ΔQ) is 80 and K_{PO} is equal to 70, then the percentage-change in price (ΔPq) will be 56. The $K_{PQ} = 100$ implies that the price and quality has one-toone ratio and price should be equally changed as change in quality. The $K_{PO} = 0$ implies that price is not dependent on the quality.

So, the new price after taking the qualitychange into consideration will be:

$$P_{qnew} = P_{initial} + \left(\frac{P_{initial} * \Delta Pq}{100}\right) \qquad \dots (9)$$

In other form, the P_{anew} can be represented as:

$$P_{qnew} = P_{initial} + \left(\frac{P_{initial} * \frac{K_{PQ}}{100} \left(\frac{Q_{new} - Q_{initial}}{Q_{initial}} * 100\right)}{100}\right)$$
...(10)

The equation (9) and (10) represent the new price after the affect of quality-change. On changing the quality, if the response-time has been changed according to the equation (7), then there should not be any change in price due to response-time change, but if the change in response-time is not according to the equation (7), then this alteration of response-time from the T_{new} will also affect the price. The percentage change in price due to change in response-time can be calculated as follows:

If actual new response-time is T_{ANew} , then the percentage change in response-time from the required response-time T_{new} will be:

$$\Delta Ta = \frac{T_{new} - T_{ANew}}{T_{new}} * 100 \qquad \dots (11)$$

Where, ΔTa is the percentage alteration of the response-time from the required response-time T_{new} and it holds $0 \le \Delta Ta \le 100$.

Now, based on the relation (2), the percentage change in price due to alteration in the required response-time can be calculated as follows:

$$\Delta Pt = \frac{K_{PT} * \Delta Ta}{100} \qquad \dots (12)$$

Where, ΔPt is the percentage change in price due to alteration in response-time and it holds $0 \leq \Delta Pt \leq 100$. K_{PT} is the constant which has value $0 \leq K_{PT} \leq 100$. Its value is decided by the service provider. It represents the percentage of the percentage-change in response-time (ΔTa) with which the price should be changed. It means that if the percentage-change in response-time (ΔTa) is 30 and K_{PT} is equal to 30, then the percentage change in price (ΔPt) will be 9. The $K_{PT} = 100$ implies that the price and quality has one-to-one ratio and price should be equally changed as alteration in response-

... (9)

time. The $K_{PT} = 0$ implies that price is not dependent on the change in response-time.

So, the new price after taking the effect of change in required response-time should be as shown in (13):

$$P_{inew} = P_{initial} + \left(\frac{P_{initial} * \Delta P t}{100}\right) \qquad \dots (13)$$

In other form, the P_{tnew} can be represented as:

It can be inferred from equation (13) and (14) that if the actual response-time (T_{ANew}) is more than the required response-time (T_{new}) , then the price should be decreased, but if the actual response-time (T_{ANew}) is less than the required response-time (T_{new}) , then the price need to be increased.

The new price after considering the effect of change in quality as well as the change in response-time will be as shown in (15):

$$P_{tnew} = P_{initial} + \left(\frac{P_{initial} * \frac{K_{PT}}{100} \left(\frac{T_{new} - T_{ANew}}{T_{new}} * 100 \right)}{100} \right) \\ \dots (14) \\ P_{new} = P_{initial} + \left(\frac{P_{initial} * \frac{K_{PQ}}{100} \left(\frac{Q_{new} - Q_{initial}}{Q_{initial}} * 100 \right)}{100} \right) + \left(\frac{P_{initial} * \frac{K_{PT}}{100} \left(\frac{T_{new} - T_{ANew}}{T_{inew}} * 100 \right)}{100} \right) \\ \dots (15)$$

The above derived equations can be used for the calculation of utility for SR and SP. Consider that SR has some proposal $\langle P_{initial}, Q_{initial}, T_{initial} \rangle$ and values of various constants K_{PT}, K_{PO}, K_{TO} , on which SR agrees. These values can be maintained in the service profile of SR. Let $\left\langle P_{offer}, Q_{offer}, T_{offer} \right\rangle$ be the proposal obtained by SR from SP. The offered quality Q_{offer} can be treated as the new quality Q_{new} and offered response-time T_{offer} as the actual responsetime T_{ANew} and then using equations (4) to (15), the value for required price P_{new} can be calculated, which is the value of price considered appropriate by the SR for given quality and response-time. This value of price P_{new} , which has been calculated by considering both the quality change and response-time change, will represent level which is preferred by SR or at which SR is happy for given quality and response-time. Whereas, P_{offer} is the offered price for given quality and response-time. So, the ratio of P_{new} and P_{offer} will represent the happiness/preference level of SR, which is also represented by the utility [1]. Hence, the utility of SR can be represented as:

$$Utility_{SR} = \frac{P_{new}}{P_{offer}} \qquad \dots (16)$$

From the equation (16), it can be inferred that if the offered price is more than the required price, then the utility of SR will be less than 1 and the proposal will not be accepted.

In the similar fashion, the utility for SP can be calculated. The only difference is that in the case of SP, the offered price should be more than or equal to the required price, for the proposal to be acceptable. Hence, the utility of SP can be represented as:

$$Utility_{SP} = \frac{P_{offer}}{P_{new}} \qquad \dots (17)$$

From the equation (17), it can be inferred that if the offered price is less than the required price, then the utility of SP will be less than 1 and the proposal will not be accepted.

4 Extension to Utility Model

The utility model presented above can be extended by considering some other important parameters opportunity-cost, such as opportunity-gain, and negotiation-cost (Zhang et al., 2005). During the negotiation process, when the SPA makes a commitment to perform a task, it looses the opportunity to perform some another incoming task of possibly higher utility. This loss occurring to the SPA on committing a negotiation can be called as Opportunity-Cost. So, in the utilitycalculation for the SPA, not only the actual usage of resources should be considered, but the opportunity-cost should also be involved. Hence, the net utility of SPA at a negotiationstep should be calculated by deducting the opportunity-cost from the utility-value (Zhang et al., 2005). The opportunity-cost of SPA at a negotiation-step will depend on the utility gained by the SPA at that step.

On the other hand, on importing the task to SPA, SRA leaves itself more freedom to accept some another task of possibly higher utility. This gain occurring to the SRA on importing the task to SPA can be called as Opportunity-Gain. So, in the utilitycalculation for the SRA, not only the gain from getting the task done from SPA at some agreed proposal should be considered, but the opportunity-gain should also be involved. Hence, the net utility of SR at a negotiationstep should be calculated by adding the opportunity-gain with the utility-value (Zhang et al., 2005). The opportunity-gain of SRA at a negotiation-step will depend on the utility gained by the SRA at that step.

The negotiation process consumes resources such as time, computational capability, communication capacity etc. Otherwise, these resources could be used for some other tasks. Also, in some cases, the negotiation process has an influence over the process and time of execution of task. This can also reduce the utility of process. These losses occurring due to the negotiation process can be termed as Negotiation-Cost or Negotiation-Effort. Negotiation-Effort can be measured by the number of negotiation steps and it increases with increase in the number of negotiation steps.

Thus, on considering the opportunity-cost, opportunity-gain, and negotiation-effort the utility for SRA and SPA can be given as below:

Net Utility for SPA = Utility_{SPA}-Negotiation-Effort – Opportunity-Cost ... (18)

Net Utility for $SRA = Utility_{SRA} - Negotiation-Effort + Opportunity-Gain ... (19)$

5 Evaluation

The paper mainly focuses on the derivation of multi-attribute utility functions for the SR and SP, which can be useful in the decisionmaking during negotiation between SWSs. The presented model can be evaluated by comparing it against the reported similar works. [7] have proposed a utility function especially useful for the telecommunication domain. But, their presented function does not seem to calculate the concrete final value of utility, as they have represented the utility in the form of other utility values. They have presented the total utility of a service combination S by following equation: $u(S) = \sum_{c} k_{c}u_{c}$, where k_{c} is the weight of a content-section and u_{c} is the utility associated with a content-section. Further, the u_{c} has been computed as the weighted sum of the utilities of constituent medias, $u_{m}(q_{m})$, by following equation: $u_{c} = \sum_{m \in M_{c}} \rho_{m}^{c} u_{m}(q_{m})$,

where ρ_m^c is the weight of medium m. But, no discussion has been found on computation of $u_m(q_m)$. The utility models presented by [3] and [4] do not consider the interdependence of different attributes over each other such as effect of change in quality over the price, response-time etc. [5] have presented a utility function just as a simple weighted sum of values of various attributes. Their function have no provision for considering the interdependence of different attributes and will produce different utility value even when the price or other such factors are changed according to the change in quality. The utility model presented by [6] represents the target utility in the form of other utility values. Their model can be helpful in the utility determination, but does not seem to provide concrete results for utility value. They have presented the target utility, TU, as: $TU = U_{BOW} + CS$, where U_{BOW} is the utility of own decision-making and Concession Step (CS) is determined by: $CS = \beta (1 - \mu / U_{BOW}) (U_{BOT} - U_{BOW}),$

where U_{BOT} is the utility of other participant's decision-making, μ is the minimal utility, and β is the negotiation speed. No discussion has been provided by them on the calculation of parameters such as U_{BOW} and U_{BOT} . The proposed utility model tries to fulfill the shortcomings mentioned above. The proposed model is based on a novel understanding that if the price, response-time or other such factors are changed appropriately according to the change in the quality, then the utility should remain unchanged. Further, the proposed utility model considers multiple attributes and is flexible and adaptable to consider other attributes also in utility-calculation. The utility model presents the formalization of various parameters in the form of values of basic attributes such as price, quality etc., which are easily available during the negotiation process enabling the calculation of concrete value for utility. Hence, the presented utility model is more reliable, can provide more accurate decision-making, and is more in line with the practical manual negotiation process. This statement is also supported by the comparative analysis of the proposed utility model presented in Table 1.

6 Implementation

To support the proposed utility model, we have implemented a prototype negotiation system which uses the presented utility model for decision-making during negotiation process. The system provides the negotiation between SWSs. The system has been implemented using Java [8] technology and the service profiles of SR and SP are implemented in OWL (Web Ontology Language) [9] using Jena [10]. Fig. 1 shows the negotiation of SR with one of SP 'Jet Travels (http://www.jettravels.com)'. The second step in Fig.1 is used to select the SR with which the negotiation has to be performed. The table in step 3 in Fig. 1 shows the offers from SP and SR to each others and the corresponding utility values calculated using the proposed utility model.

Feature	Work presented in [7]	Work presented in [3]	Work presented in [4]	Work presented in [5]	Work presented in [6]	Our proposed utility model
Utility based computation model	Yes	Yes	Yes	Yes	Yes	Yes
Based on the practical understanding that a service requester should remain indifferent to the changes in price or other such values if the corresponding quality has been changed accordingly	No	No	No	No	No	Yes
Calculation of concrete final value of utility	No	Yes	Yes	Yes	No	Yes
Considering interdependence of different attributes over each other such as effect of change in quality over the price, response- time etc.	Yes	No	No	No	Yes	Yes
Formalization of various parameters in utility- calculation in the form of values of basic attributes such as price, quality etc.	No	No	No	No	No	Yes

 Table 1: Comparative analysis of proposed utility model

	SUDALER	ovidere					
All-World	Travel Agency	0114010					
Jet Trave	s						
TBTwo Ti	avel Agency						
TBThree	Travel Agency		•				
			N				
Steps of	Communication D	uring Negotiation E	Negotiate Between Service Requ	uester an	d Service Provi	der Selected Above:	
Steps of	Communication D	uring Negotiation I	Negotiate Between Service Requ	uester an	d Service Provi Utility of Oppos	der Selected Above:	
Steps of	Communication D Offered Price	Uring Negotiation I Offered Quality 15	Negotiate Between Service Requ	riod	d Service Provi Utility of Oppos	der Selected Above: ite Negotiating Service 0.858	2
Steps of SWS SP SR	Communication D Offered Price 325 200	Uring Negotiation I Offered Quality 15 12.5	Negotiate Between Service Requ Offered Time-Pe	riod 1.7 2.2 1.8	d Service Provi Utility of Oppos	der Selected Above: ite Negotiating Service 0.859 0.991	
Steps of SWS SP SR SP	Communication D Offered Price 325 200 325	Offered Quality 0ffered Quality 15 12.5 12.5 15	Negotiate Between Service Requ Offered Time-Pe	riod 2.2 1.8 2.1	d Service Provi Utility of Oppos	der Selected Above: ite Negotiating Service 0.855 0.991 0.866	
Steps of SWS SP SR SP SR SP SR	Communication D Offered Price 325 200 325 200	uring Negotiation I Offered Quality 15 12.5 15 12.5	Negotiate Between Service Requ	riod 2.2 1.8 2.1 1.9	d Service Provi Utility of Oppos	der Selected Above: ite Negotiating Service 0.859 0.991 0.866 1.036	
Steps of SP SR SR SR SR SR SR SR SR SR SR SR SR SR	Communication D Offered Price 325 200 325 200 10-Agreements After nd '3' Above: rovider Agreed Pr	Uring Negotiation I Offered Quality 15 12.5 15 12.5 er Performing Neg ice Agreed Quality	Negotiate Between Service Requ Offered Time-Period otiation Between Serv Agreed Time-Period	riod	d Service Provi Utility of Oppos ester and Varic Provider Utility	der Selected Above: ite Negotiating Service 0.866 0.991 0.866 1.036 bus Service Providers Service Requester Util	



The first column in the table shows the agent i.e SR or SP, who have generated the offer. The second, third, and fourth column show the offered values of price, quality, and timeperiod respectively. The value of utility for the other agent, with which the negotiation has been started, for the offered attributes, is shown in the last column. This value is calculated using proposed utility model. The values of various weights and the initial values of attributes are stored in the respective service profiles of SR and SP. Step 4 in the Fig. presents a table showing the final agreement parameters after the negotiation has been successful in the step 3. The table shows the utility of both SR and the SP for the agreed proposal. It can be seen that the proposal is accepted only if the utility value is more than 1 for both SR and SP.

7 Conclusion

The main focus of the paper is the presentation of a utility model for calculation of the utilities of negotiating semantic web services. The proposed model presents the multi-attribute utility functions for the both service requester and service providers. The presented utility functions also consider the interdependence of various attributes by considering the change in price, response-time etc. due to change in quality. The work has been evaluated by comparing it against the earlier reported similar works and the betterment has been reported. A prototype system has also been implemented which uses the proposed utility model for decisionmaking during the negotiation between semantic web services. Our future work developing involves а multi-attribute negotiation approach for negotiation between semantic web services, which uses the utility model presented in this paper. The future work will also includes to develop a formalization for the proposed extension of utility model and provide the formal measurement of opportunity-cost, opportunity-gain, and negotiation-effort.

References:

[1] Wilkes, J., Utility Functions, Prices, and Negotiation, *Technical Report, HP Laboratories, HPL-2008-81,* <u>www.hpl.hp.com/techreports/2008/HPL-2008-</u> <u>81.pdf</u>, 2008.

[2] McIlraith, S., Son, T., and Zeng, H., Semantic Web Services, *IEEE Intelligent Systems, Special Issue on the Semantic Web*, Vol. 16, No. 2, 2001, pp. 46-53.

[3] Jonker, C. M., Robu, V., Treur, J., An Agent Architecture for Multi-Attribute Negotiation Using Incomplete Preference Information, *Journal of Autonomous Agent and Multi-Agent Systems*, Springer, Vol. 15, Issue 2, 2007, pp. 221-252.

[4] Zhang, X., Lesser, V., Podorozhny, R., Multi-Dimensional, MultiStep Negotiation for Task Allocation in a Cooperative System, *Journal of Autonomous Agent and Multi-Agent Systems*, Springer, Vol. 10, No.1, 2005, pp. 5-40. [5] Makedon, F., Ye, S., Zhao, Y., On the Design and Implementation of a Web-based Negotiation System, 9th Panhellenic Conference in Informatics (PCI2003), Thessaloniki, Greece, 2003.

[6] Xiaolong, X., Yaowu, W., Qiping, S., Agent based Multi-attribute Negotiation for Large-Scale Construction Project Supply Chain Coordination, Proc. of the 2006 IEEE/WIC/ACM International Conference on Web Intelligence and Intelligent Agent Technology (WI-IAT 2006 Workshops)(WI-IATW'06), IEEE Computer Society, IEEE, 2006.

[7] Stamoulis, G. D., Kalopsikakis, D., Kyrikoglou, A., Courcoubetis, C., Efficient Agent-Based Negotiation For Telecommunications Services, *Proc. Of Global Telecommunications Conference* (*GLOBECOM* '99), IEEE, Vol. 3, 1999, pp. 1989-1996,

[8] The Source for Java Developers, Sun Microsystems Inc., http://java.sun.com/, Website accessed Oct 13, 2008.

[9]McGuinness, D.L, Harmelen, F.V., OWL Web Ontology Language Overview, *http://www.w3.org/TR/owl-features/*, Website accessed on Feb 13, 2008.

[10] HP Labs Semantic Web Programme, Jena- A Semantic Web Framework for Java, *http://jena.sourceforge.net/*, Website accessed March 01, 2008.