

A Bluetooth-based Interactive System to Improve Relationships Between Actors in Educational Environments

FERNANDO RIBEIRO, JOSÉ METRÔLHO, MÓNICA COSTA

Informatics Engineering Department
Polytechnic Institute of Castelo Branco
Av. do Empresário 6000-767
PORTUGAL
{fribeiro, metrolho, monicac}@ipcb.pt

Abstract: - Nowadays there are a vast number of devices and technologies available for the common citizen to improve their communication with others. This fosters the design and implementation of systems that explore the available features of these devices. In this paper, we propose a Bluetooth-based interactive system for delivering personalized information in high education institutions. The system allows informing, on a personalized way, the actors of an education institution on a free way using popular communication standards. The scenario we promote in the paper is mainly focused on learning environments, however the framework is also applicable in other shared public and semi-public spaces such as offices, homes, companies and many others. One of the most important contributions of this work is to combine public displays and personal mobile devices for delivering personalized information according to the students' location. A prototype has been built and discussed with demonstrative user scenarios. Early results show that teachers and students found some advantages in this system comparing to traditional approaches. This system can effectively support a wide range of activities for students. It provides to each student the possibility to have a personal interaction with the technology in an authentic and appropriate use context.

Features like the system's architecture, prototype and system's evaluation are explained in the paper. Results show that this system can be an important complement to other popular systems in education environments (e.g. e-mail, chats, Wikis, forums, e-learning platforms etc.).

Key-Words: - e-schools, e-learning, personalized information, mobile learning, interactive spaces, Bluetooth, information and communication technologies, mobile devices.

1 Introduction

Digital interaction in learning environments offers great opportunities for education quality improvement [1] and it is in the centre of all forms of educational interaction. Additionally the exponential growth of mobile technology in recent years, increasing availability of network infrastructures, advances in wireless technologies and popularity of handheld devices, have opened up new accessibility opportunities for education [2].

Students of high education institutions have now access to technology that was unthinkable ten years ago. Cellular phones, PDA, audio/video digital players, etc, are common gadgets to all of them. The majority of these devices possess, apart from the computational power, several embedded features and of course, connectivity is one of them. Bluetooth and Wi-Fi are present and in some cases both. One of the rising technologies in wireless communication is Bluetooth. The amount of Bluetooth enabling devices has been increasing progressively in various types of

mobile devices. Bluetooth devices can be easily identified by their unique Bluetooth Device Address. Due to the distinctiveness of the address it is possible to monitor the device location and movements. The short communication range of the Bluetooth enables the possibility for locating the device in decent accuracy with simple methods [3].

Using these links of information, we present a developed application that allows informing the actors (students, teachers, administration, etc.) of an education institution on a free way using these communication standards. The developed application allows creating special interest groups (SIG). A SIG can be related to a course, a subject, a class or even a faculty or event. All depends on the system administrator (that configures and defines SIG) and the SIG administrators (that is the administrator of certain SIG). Features like the interface on the mobile device (client side), or the web interface (server side) of the administrator's, will be explained in the paper. This is also a case were the education space becomes interactive. This means that once within the

institution's physical space, any actor can become informed about issues related to his/her SIG. This holistic and ubiquitous view of information also improves the usability of the gadgets with useful information about the academic life and becomes an attraction to compel students to the learning space.

This system can effectively support a wide range of activities for students. It provides to each student the possibility to have a personal interaction with the technology in an authentic and appropriate context of use. Mobile devices are offering a large number of benefits to students and teachers, namely: provides integrated informative systems; improves information access; cultivates better relationships with teachers and removes time and location barriers [2].

The remainder of this paper is structured as follows: in Section 2 we discuss the related work. In section 3 we briefly describe the architecture of our system. Section 4 describes our prototype. Section 5 presents the system evaluation and early results. In section 6 and in section 7 we discuss results and we present proposals for future work. Finally, in section 8 we present the general conclusions of this work.

2 Related Work

In recent years, alternative ways to the traditional learning have been introduced, taking advantage of the latest advances in information and communication technologies. These alternatives to the traditional learning facilitate the interaction between students and teachers, help to improve student's apprenticeship and they also offer more flexibility, personalization and information speed.

More recently many researchers focus their works on the use of mobile and ubiquitous technology in education. During this period of time we have witness to the proliferation of many interactive learning environments, many of them designed for specific courses (e.g. geography [4] or physics [5]). These technologies can effectively support a wide range of activities for students. They provide for each student to have a personal interaction with the technology in an authentic and appropriate context of use [2].

These systems are the future in the academic field, not only at high education, but also at secondary education, where they are being introduced. They are being used by all universities around the world and every day new applications are added to the virtual learning platforms. The objective is to improve the efficiency and the interaction between the students [6].

Here we put special attention in two specific areas. Firstly, on social software that is used to facilitate the communication in learning environments. Secondly

the usage of Bluetooth identification for supporting personalized information delivering.

Social software, including wikis, web feeds, chats, forums, blogs, or email are common examples of social technologies that have been used to enhance learning in education environments. Wikis (e.g. [7]) are a collaborative medium designed to promote content sharing. They facilitate collaboration, offering a simple tool for content creation and organization. Web feeds allow content-authors to syndicate their posts to subscribed readers. Blogs, where students can organize and exchange experiments, reflect on their learning experiences create and post up-to-date learning contents and that can be accessed through their mobile devices. Chats and forums provide an important medium for interaction between all education stakeholders. Our approach presents some differences when comparing to the use of traditional social software applications. It provides different means to deliver personalized information through personal mobile devices or public displays. Additionally, information is immediately delivered to users that are present in the system zone and it is only delivered to users that are interested to receive it.

With respect to works that have their main focus on delivering personalized information to users we next analyze three related works that also use Bluetooth identification as main support for personalization.

BlueZone [8] presents a Bluetooth based communication service which is used to complement SMS text messaging to offer an alternative communications platform to students. The aim of the BlueZone service is to facilitate the delivery of localized and personalized messages to students in Lancaster University. The service consists of two distinct phases, an initial registration phase followed by the communication phase. The infrastructure consists of a number of BlueZone communications servers spread across the University campus which are able to deliver messages to handsets without charge. Each BlueZone Communication Server continuously searches for new Bluetooth devices in range using the standard Bluetooth device discovery mechanism. If a device is detected, the server communicates with the BlueZone registration database in order to establish whether there are any pending messages for this end-user. If there are pending messages, BlueZone attempts to transfer them via OBEX. The BlueZone services logs all sightings of Bluetooth devices across the network and we are currently using this to help make the service more intelligent.

The Campus News [9] is a Bluetooth-based mobile information network. The information which will be sent is filtered by the mobile device according to a profile set by the user. Users have the opportunity to build their individual interest profile. The user profiles and the semantically annotated messages are based upon the same ontology. Two different kinds of frontends were implemented, one for each group of users. The system includes an administration interface for the users which want to offer the information to the public. Here messages can be added to all or specific nodes. There is also a flexible statistics tool, as finding the ideal location for service nodes needs statistical data as a foundation. It also includes a user interface for students. After logging in with the campus wide student login credentials the type of mobile phone and a target Bluetooth friendly name have to be selected. In the next step interests can be selected from a tree menu.

The BlueScreen [10] is an intelligent public display, which selects and displays adverts in response to users detected in the audience. It uses Bluetooth-enable devices for identifying users and explores history information of past users' exposure to certain sets of adverts. Advertisements are preferentially shown to those users that have not seen them yet. The main goal of BlueScreen is to select the best content to maximize exposure to the current audience. A repetitive second-price sealed-bid auction is used as a selection mechanism to determine which advertising agent will display its advert on the next time slot, and its corresponding payment. Each time an advertising has to make a decision about its valuation for the next cycle, it has two types of information on which to base its decision: i) history observation of exposed devices which were collected during the advertising cycles it won in the past, ii) the current set of detected devices which were in front of the screen.

There are many proposed systems for provide personalized information to users' specific needs. However, our proposal presents some particularities. Firstly, it combines into the same system two types of devices for delivering information: mobile devices and large public displays. Secondly, it is based on a hierarchical profile structure and takes into consideration the identification and positioning of users to define two distinct interaction zones and thus it uses this information to select the most appropriate way to deliver personalized information. Thirdly, the user only receives information of interest from his point of view, as member of a SIG, and the information is delivered through the most convenient device, this is a new feature, over the other presented works.

3 System Architecture

In this section we present the application's architecture.

The client application was implemented in J2ME, and requires the use of the KVM or CLDC-Hi virtual machine. Actually two configurations exist that allow configuring the JVM and some of the API for a family of devices: CDC (Connected Device Configuration) and CLDC (Connected Limited Device Configuration). These will act to define the requirements/features of devices such as memory, processing speed, power, or device type. Based on these features the JVM and API's are properly configured.

Using CLDC [11] configuration we may settle some devices like cellular phones, pagers, PDA and similar mobile devices. CLDC is for resource-constrained devices, with small memory capacity, processing power, size of the display, autonomy and network connectivity. CLDC configurations are for devices with:

- Memory between 160KB and 512KB (minimum of 160KB ROM (for VM, API's) and 32KB RAM for the JAVA platform(for applications));
- 16-bits or 32-bits Processor;
- Slow wireless communication (approximately 9.6Kbps).

The use of J2ME fosters the definition of configurations and profiles depending on the target devices and on the Java features needed for the software application. Some APIs are also required according to the application's specificities. The main blocks of the software architecture are presented on Figure 1.




Figure 1 – Client software architecture.

The development of applications using Java ME depends on the target devices. The application runs over a VM that can be parameterized to define the features that must be available for the target machine. Some parameterized features are I/O, memory or processing power.

The configuration classes, Figure 1, define the required libraries that are fundamental to make available the minimum requirements of the VM. These allow to setup: Java language supported

features; VM features; Java libraries and supported API.

Presently there are two types of Configurations: one for devices with powerful HW resources - *Connected Device Configuration* – and other for simple HW devices - *Connected Limited Device Configuration*.

Profiles are extensions of configurations, because they can be considered a set of added APIs that allow the development of applications for a devices' specific family. Profiles are focused on a explicit set of devices. They are java based APIs that allow to add new features to Configurations, such as wireless communication among others. Profiles allow access to the device properties

More known are:

- MIDP (Mobile Information Device Profile);
- PDAP (Personal Digital Assistant Profile);
- HP (Handheld Profile);
- PP (Personal Profile);
- RMID (Remote Method Invocation Profile).

MIDP [12] is a standard profile in the mobile devices industry, the MIDP API's have:

- Interface components, I/O functions, event control, timers e connectivity oriented functions to deal with the device features;
- MIDP is used in CLDC configurations.

A MIDP device must possess the following features:

- A minimum of 256KB RAM for the MIDP implementation (plus the CLDC);
- A minimum of 128KB RAM for the data structure of the JAVA Runtime;
- 8KB of non volatile memory for data;
- A display with at least 96x54 pixels resolution;
- An input device (keyboard, touch screen, or other).

The most used profile is the MIDP (see Figure 1). This profile allows defining/controlling the network hardware, the display of the device, read the keyboard input, among other features. This allows defining a significant amount of interactive actions.

Other more specific API can also be used, if more concrete actions are required for a configuration. In our case we use the JSR-82 API [13] to implement the search for available BT devices, data exchange using the RFCOMM protocol. Other features like OBEX (Object Exchange) protocol can be implemented using this API. BlueCove [14] is a Java library (allows the API JSR-82), that allows the Mac OS X, WIDCOMM, BlueSoleil and Microsoft Bluetooth stack. Bluecove allows the use of the following Bluetooth profiles:

- SDP - Service Discovery Profile;

- RFCOMM - Radio Frequency Communication;
- L2CAP - Logical Link Control and Adaptation Protocol;
- OBEX - *OBject EXchange*.

Implementation of the API JSR-82 allows the following classes and Bluetooth interfaces:

- Interface (most relevant):
 - *DiscoveryListener* – To search devices
- Classe (most relevant):
 - *DiscoveryAgent* – To seek for an element of the device, search for devices and it's services;
 - *LocalDevice* – Represents the server that has Bluetooth;
 - *RemoteDevice* – Represents the remote device that request connection to the server;
 - UUID – Defines the identifier of the used service.
- Exception (most relevant):
 - *BluetoothException* – Error messages about connection difficulties

4 The Prototype

This section is organized in two sub-sections. In the first sub-section we describe the prototype architecture and its operation. And in the second sub-section we present the developed software and we also present some system functionalities.

4.1 Architecture and Operation

In terms of layout, we can have several application servers, a web server and several clients. The web server stores all the information about the user's data, group settings, etc. The application server has a BT interface, and is located on the building area where users can interact with the systems. The client is a mobile device with BT interface and the client application running over the VM previously described.

In terms of features allowed to the system actor's, some of the implemented features are:

- Actor: main administrator
Allowed Features: create/remove groups of interest (SIG); create/remove SIG administrators.
- Actor: SIG Administrator.
Allowed Features: Manage content for the SIG; accept/reject SIG user's subscriptions.
- Actor: regular user
Allowed features: register in a SIG; consult information; define interests and define devices, among others.




Figure 2 – System’s architecture.

These users’ features are defined according a hierarchy where there are three levels of responsibility and rights: Main Administrator; SIG Administrator and Regular users.




Figure 3 - Solution Scheme.

The dynamic of the system is based on the following sequence of actions done by the actors. Initially, the users must register themselves in the system. This is done by selecting their SIG and identifying their Bluetooth devices (Bluetooth Device Address). The data related to each SIG and user is stored in a database at the database server.

The Bluetooth module of the application server is continuously scanning for Bluetooth devices. Every time a new device is detected the system verifies in the database if it is a registered device. In positive cases the system verifies if there are new data (messages, alerts, notifications, etc.) for this target user.

Every time some data is sent to a specific user, information about this action of the system is stored in a way to avoid multiple alerts of the same information.

Figure 4 presents the sequence diagram for an interaction between the system and a client.




Figure 4 – Interaction system/client: sequence Diagram.

4.2 Functionalities and Interface

The graphical User interface (GUI) should be simple and intuitive to be attractive for the target users. There are two interfaces for the system’s users: the web interface and the mobile device interface.

In the students’ case, the web interface allows their subscriptions to the system and also their identification using the following fields: Bluetooth Device Address and the selection of one or more of the available SIGs. To make this task easier the system presents the user a list of the active BT devices and the user only has to choose his device from the list.




Figure 5 – SIG subscription: students interface.

The SIG administrator’s interface has two features: one to administrate the users’ subscriptions and another for content administration. The interface to administrate the users’ subscriptions (see figure 6)

allows to manage SIG elements. Some of the tasks are: the validation of the subscription requests and remove users.




Figure 6 – interface for administrate the users' subscriptions.

The interface for content management allows the SIG administrator to insert new content (e.g. news, advertisements) and accept submissions performed by users registered in the SIG. These contributions are made by registered users through the web interface and are shared only to all SIG members after being authorized by the SIG administrator.

Using this interface the SIG administrator can also define the time when the message should be delivered to the SIG members. Figure 7 shows the form that allows specifying a new message.




Figure 7 – Message specification: SIG administrator interface.

The mobile device interface (client side) was designed to be as simple as possible to be adaptive to the different features of each device (e.g. screen size, colors).

Figure 8 shows the interface application running on a Nokia 5200 mobile phone.




Figure 8 – Client interface (mobile phone).

5 Initial Evaluation and Results

To evaluate the system we have conducted an experiment for 3 weeks. The system was installed in the main research lab of the Informatics Engineering Department and its interaction zone embraced the main entrance of the department and reaches out a zone of approximately 50 meters wide. People that frequent the interaction zone were mainly teachers, staff and students in technological areas.

We've invited three teachers to use the system as a favorite mean for interaction with their students. Each teacher was responsible for manage both content and actors of his class/SIG and they were also responsible for motivating their students to subscribe and use the system. Students that wanted to subscribe the service should access to the system and define their profile (which SIG he is interested in) and their Bluetooth identification (Bluetooth Device Address). After this process they were able to receive their personalized information.

23 students subscribed the system. 4 of them subscribed only one SIG, 12 of them subscribed two SIG and 7 of them subscribed 3 SIG.

The students' mobile phones models were various. Some examples:

- Nokia 5320 XpressMusic;
- Samsung M610;
- Nokia 5200;
- Nokia 6600;
- Nokia 5800;

– Nokia N80.

For the experiment period, collected data is restricted to the period 8 am to 8 pm, and weekend days are excluded. Table 1 presents a summary of devices and messages processed by the system.

Students registered in the system	23
Detected devices (during the experiment)	103
Served devices	23
Messages from teachers	14
Messages delivery to students	62
Message delivered to high number of students	7
Message delivered to lower number of students	2

Table 1 - System statistics: users and messages.

After 3-weeks of experiment, the system detected 103 distinct mobile devices with Bluetooth and 23 of them are registered in the system. The ratio of detected devices/devices that received messages was at 22.3%. During this period the system delivered 62 messages, corresponding to 14 distinct messages, to 23 distinct students.

Some examples of messages that are delivered by the system were:

- Slides for the next class are already available on the class website;
- Next Wednesday the class will be on the lab;
- The evaluation 1 will be on next Tuesday at 15h30m on lab. IC;
- For the Tuesday class you should bring timesheet 2;
- Results from the second evaluation are now available on the e-learning platform.

To evaluate users' acceptance of the system, after the experimental period, we asked users to fill a questionnaire where they were able to express their opinion. The questionnaire is distinct for teachers and students. Table 2 presents a summary of the analysis questionnaire filled by teachers.

Although the reduced number of teachers involved in the evaluation process, these results show that they were able to successfully manage their class and improve the interaction with students. Additionally, they identified as a benefit the usage of this system when comparing to the usage of traditional online software like e-mail, chats, e-learning platform, etc. Regarding the students' questionnaire it embraces two main evaluation topics: system usage and acceptance (table 3); and users' privacy (table 4). All the 23 students answered the questionnaire.

How simple is the class/SIG management in the system?	
Very simple – 66,7% (2)	Not simple – 0% (0)
Simple – 33,3% (1)	Difficult – 0% (0)
Don't know/Not respond – 0% (0)	
Is there any benefit of this system over common online software for support teacher/student interaction (e.g. e-mail, chats, e-learning platform)?	
Yes	66,7% (2)
No	0% (0)
Don't know/Don't respond	33,3% (1)
Do you notice significant improvements on the interaction with your students?	
Significant improvement	33,3% (1)
Some improvement	66,7% (2)
Don't know/Don't respond	0% (0)

Table 2 - Teachers acceptance and benefit.

How simple is the subscription task in the system?	
Yes	73,9% (17)
No	17,4% (4)
Don't know/Don't respond	8,7% (2)
Is there any benefit of this system over common online software for support teacher/student interaction?	
Yes	73,9% (17)
No	8,7% (2)
Don't know/Don't respond	17,3% (4)

Table 3 - Students acceptance.

Would you activate the Bluetooth functionality specifically for this service?	
Yes	17,4% (4)
No	73,9% (17)
Don't remember	8,7% (2)
The benefit obtained through this service overpass the cost of making your device identification visible to everyone?	
Yes	52,2% (12)
No	17,4% (4)
Don't know/Don't respond	30,4% (7)

Table 4 - Students privacy and benefit.

Students classified as simple the system's registration task. Furthermore, more than 73% of them refer that the system presents some benefits over common online software to support students/teachers interaction.

Additionally, the questionnaire includes two more questions related to users' privacy and benefit of the system usage.

Only 17.4% of students activated their Bluetooth functionality specifically for this purpose. With respect to the need of expose their device as a requirement for the system usage, more than 50% of students refers that the benefit obtained through the

system usage overcomes the cost of the Bluetooth identification exposure.

One important issue is related to the number of students that participate in the system evaluation. As mentioned before the students' motivation for subscribing the system and the subscription management was done by the three invited teachers. From a total population of students registered in the invited teachers' classes 23 of them subscribed the system, representing 31.9% of the total population.

To analyze and understand the reasons why this subscription rate a survey was promoted to obtain the students' feedback, namely those that didn't subscribed the system. The questionnaire had six questions (see table 5). Five of them identified possible reasons why students do not subscribe the system or do not use it. The last one is an open question where users are able to identify other reasons. Students were allowed to answer at maximum at two of the six questions. 26 students fill the questionnaire.

Table 5 presents the questions and the students' answers.

Question	# students
I don't use cellular phone	3
I have a cellular phone without BT interface	11
I don't need further communication interfaces	2
I can't see any benefit in this	3
I didn't knew about it	8
Other reasons	2

Table 5 - Students privacy and benefit.

Result proof that exist a strong motivation from students and teacher to use the system. From the universe of 26 students that participated in the questionnaire, only 12 would have conditions to get involved because the rest don't have mobile devices with a Bluetooth interface. From these 12, 8 answered that do not participated in the experience due to lack of information about it. This means that a maximum of 4 students (i.e. 15,4 %), of a total of 26 students, don't participated due to a lack of interest to use the systems.

6 Discussion

One of the conclusions of the data analysis is that students feel motivated to explore the features of their mobile devices using this system. Privacy is assured because the subscription is optional, they only receive useful information for their SIG, and they can

deactivate their Bluetooth connections whenever they want.

The impact factor of the system over the case study population was very encouraging according to the feedback obtained from the teachers. Some have demonstrated that this feature adds value to the students and teacher mobile devices because they feel more informed and they consider very usefully this new information link, or interaction, with their pairs and teachers. Teachers revealed the same opinion about their experience.

Along the tests period, a SIG was created involving a group of teachers of our department. This SIG was mainly used to inform their members about the schedule of group meetings. This was considered very interesting by the involved teachers.

The students' acceptance was also very successfully. One of the main advantages of the systems, noticed by the students, was the fact that information was delivered to the targets, their own devices, without the need for search in the course website for particular classes or without requiring the email verifications. This has increased the notion, from the student's point of view, of ubiquitous interaction with the information system and mobility. One student said "Information came from inside our pocket, without any click". The results reported on previous section show that this system is an important complement to other popular systems in education environments (e.g. e-mail, chats, Wikis, forums, etc.). We are aware that there are students that don't have mobile devices with Bluetooth interface and therefore will not be able to interact with the system. This fact also proofs that this systems must be used as a complement for more traditional ones (elearning platforms, email, etc) and must be used to add value to them.

7 Future Work

The system presented in this paper has not been realized with a complete instance. We proposed and implemented a number of modules and have developed a prototype for these modules. It does not fully comply with our system design. As a consequence, our plan for the future work is to construct such a system by developing and integrating all modules. This implies a number of tasks: 1) refine and adjust different software modules considering the two interaction zones (display zone and mobile zone) and the optimization of both communication means. For this case we will use two distinct Bluetooth scanners in a way to identify users location and thus selecting the most appropriate mean for delivering information; 2) deploy a full

functionality module for selecting contents to be presented in the display; 3) improving algorithm for content selection on the display considering that multiple users profiles may be detected at the same time; 4) deploy a fully working prototype of the system to evaluate users' participation and acceptance.

The prototype is already defined and it's under test.

We have already implemented a scenario in our lab to realize the first experiments. Presently it is already possible to get data from a screen, in the Lab, and the application GUI is being improved.

We are also preparing a questionnaire to obtain the users' feedback about this new feature of the interactive system. This lab is used by undergraduate students but also by master students. We will increase the target populations and improve the application using their feedback. We expect a significant increase of the number of SIGs, including groups of students that compose the students' union. This will give the application new meaning, because it will be used not just for groups of students of certain classes but also for other students' academic activities.



Figure 9 – Current experiment setting.

8 Conclusion

In this paper, we propose a Bluetooth-based interactive system for delivering personalized information in high education institutions. With this scenario we promote in the paper mainly focuses on learning environments, although the framework is also applicable in other shared public and semi-public spaces such offices, homes, companies and many others.

The most important contribution of the work is to combine public displays and personal mobile devices for delivering personalized information according to the student's location. A prototype has been built and discussed with demonstrative user scenarios. Early results show that teachers and students found some advantages in this system comparing to traditional approaches.

As described in the previous section, as future work we plan to integrate all modules of the system and run a final evaluation using both, public display and mobile devices as information delivers.

For the next stage of the prototype implementations, we are presently gathering information about the actors (students, teachers, staff) flow within our building facilities to identify the best places where the static Bluetooth devices (accessing points) must be placed. The results will be used on a post-prototype stage, when the system will be really implemented to reach as much users as possible. Some of the already identified hot spots are the library, the school bar and the administrative zone, because these are spaces were users spend more time regularly.

9 Acknowledgements

To all the partners, colleagues and staff that made possible and participated in the experiences. A special acknowledgment for all the students, at the graduation level, that developed some of the modules of the application.

References:

- [1] K. Aleksic-Maslac, M. Magzan, and V. Juric, "Social phenomenon of Community on Online Learning: Digital Interaction and Collaborative Learning Experience," *WSEAS Transactions on Information Science and Applications*, vol. 6, pp. 1423-1432, 2009.
- [2] C. Boja and L. Batagan, "Analysis of M-Learning Applications Quality," *WSEAS Transactions on Computers*, vol. 8, pp. 767-777, 2009.
- [3] P. Jappinen, I. Laakkonen, V. Latva, and A. Hamalainen, "Bluetooth Device Surveillance and Its Implications," *WSEAS Transactions on Information Science and Applications*, vol. 1, pp. 1056-1060, 2004.
- [4] D. H.-L. Goh, Y.-L. Theng, Y. Ming, E.-K. Suen, and E.-P. Lim, "An Interactive Learning Environment for a Dynamic Educational Digital Library," *WSEAS Transactions on*

- Computers*, vol. 3, pp. 756-761, 2004.
- [5] L. Seidel, R. M. Benito, M. E. Camara, J. C. Losada, and F. J. Arranz, "Development of an Interactive Learning Environment for Introductory Physics in Engineering," *WSEAS Transactions on Advances in Engineering Education*, vol. 5, pp. 306-315, 2008.
- [6] D. Bri, M. Garcia, H. Coll, and J. Lloret, "A Study of Virtual Learning Environments," *WSEAS Transactions on Advances in Engineering Education*, vol. 6, pp. 1790-1979, 2009.
- [7] A. Ruth and L. Houghton, "The wiki way of learning," *Australasian Journal of Educational Technology*, vol. 25, pp. 135-152, 2009.
- [8] K. Mitchell, N. J. P. Race, D. McCaffery, M. Bryson, and Z. Cai, "Unified and Personalized Messaging to Support E-learning," presented at Fourth IEEE International Workshop on Wireless, Mobile and Ubiquitous Technology in Education, Athens, Greece, 2006.
- [9] M. Maron and K. Read, "CAMPUS NEWS: an intelligent Bluetooth-based mobile information network," presented at international conference on mobile technology, applications, and systems and the 1st international symposium on Computer human interaction in mobile technology, Singapore, 2007.
- [10] T. Payne, E. David, N. R. Jennings, and M. Sharifi, "Auction Mechanisms for Efficient Advertisement Selection on Public Displays," presented at European Conference on Artificial Intelligence, 2006.
- [11] Sun Microsystems, "Connected Limited Device Configuration (CLDC); ," Available online at:<http://java.sun.com/products/cldc/>, [Access date: 2010 January 10th],2010.
- [12] Sun Microsystems, "Mobile Information Device Profile (MIDP)," Available online at:<http://java.sun.com/products/midp/> [Access January 10th],2010.
- [13] Sun Microsystems, "JSR 82 Bluetooth API and OBEX API " Available online at:<http://java.sun.com/javame/reference/apis/jsr082/>, [Access date: 2009 June],2009.
- [14] BlueCove Team, "bluecove 2.1.0 API " Available online at:<http://www.bluecove.org/bluecove/apidocs/index.html>, [Access date: 2010 January 10th],2010.