REFERENCES

[1] Pacific energy centre. *Shading Studies.* Report.
[2] Voll,H.(2005). Cooling *Demand in Commercial Buildings. The Influence of Building* Design, Chalmers University of Technology department of Energy and Environment. Pp 157. Göteborg.
[3] Roche, L., Dewey, E. (2000) *Occupant Reactions to Daylight Offices.* Lighting Research and Technology, 32(3), 119-126
[4] Leather, P.,Pyrgs, M. (1998) *Windows in the Work Plae: Sunlight, View, and Occupational Stress*. Environment and Behaviour, 30(6) 739-762.
[5] Abel, E., Elmroth, A., (2003). Buildinngs and energy - A systmatic. FORMAS, Stockholm 2007.
[6] Abel.E, (2003). *The Energy Balance of a Building.* Book section of Achieving the Desired Indoor Climate. Editor Per Erik Nilsson. Studentlitteratur. The Commtech Group
[7] Seattle Daylighting labs homepage. http://daylightinglab.com/
[8] Bergsten, B. (2004). *Free cooling in Commercial Buildings,* Chalmers University of Technology department of Building Technology. Pp 198. Göteborg.
[9]Loveland, J. (2003). Daylight By Design, Lighting Design + Application, Magazine of the Illuminating Engineering Society of North America. Loveland, J.
[10] Rundquist, R, (1984). *Simplified Window Energy Calculation Procedure.* Final Report. ASHRAE research project 332-RP.
[11] Boyce, P., Heerwagen,J., (2006), *Lighting Quality and Office Work: Two Field Simulation Experiments,* Lighting Research and Technology, Vol. 38, No. 3, 191-223
[12] Fisk, W.J. (2000) *Health and Productivity Gains Better Indoor Environment.* Annual Review of Engineering and the Environment, 25, 537-566.
[13] Veitch, J., Gifford, R. (1996) *Assessing Lighting Effects on Health, Performane, Mood, and Social Behaviour.* Environment and Behaviour, 28(4), 446-470
[14] Leather, P.,Pyrgs, M. (1998) *Windows in the Work Plae: Sunlight, View, and Occupational Stress*. Environment and Behaviour, 30(6) 739-762.