





















## 5 Conclusion

An ACO-based image edge detection algorithm that takes advantage of the improvements introduced in ACS has been successfully developed and tested. Experimental results show the feasibility of the approach in identifying edges in an image. With suitable parameter values, the algorithm was able to successfully identify edges in the canonical test images. It must be noted that the appropriate parameter values depend on the nature of the image, and thus, may vary per application.

As a continuation of this research, it is recommended to further examine how the quality of the extracted edges is affected by the parameter values and the functions for obtaining the heuristic information, for quantifying the quality of a solution, and for computing how much pheromone to deposit. In a study on a simplified ACO algorithm [11], it was shown that the basic properties of ACO are critical to the success of the algorithm, especially when solving more complex problems.

In recent studies, techniques that could enhance the performance of ACS have been explored. In [12], ants are assigned different pheromone sensitivity levels, which makes some ants more sensitive to pheromone than the others. In [13], multiple ant colonies with new communication strategies were employed. The proposed ACS method for edge detection could be extended and possibly be improved by making use of such techniques.

## Acknowledgment

This research was funded by the Department of Science and Technology through the Engineering Research and Development for Technology program and the Department of Electronics, Computer, and Communications Engineering of the Ateneo de Manila University.

### References:

- [1] M. Dorigo and T. Stützle, *Ant Colony Optimization*, Cambridge: MIT Press, 2004.
- [2] M. Dorigo. (2007) Ant Colony Optimization, *Scholarpedia*, 2(3):1461. [Online]. Available: [http://www.scholarpedia.org/article/Ant\\_colony\\_optimization](http://www.scholarpedia.org/article/Ant_colony_optimization).
- [3] M. Dorigo, V. Maniezzo, and A. Colorni, Ant System: Optimization by a Colony of Cooperating Agents, *IEEE Transactions on Systems, Man and Cybernetics - Part B*, vol. 26, pp. 29-41, 1996.
- [4] M. Dorigo and L. M. Gambardella, Ant Colony System: A Cooperative Learning Approach to the Traveling Salesman Problem, *IEEE Transactions on Evolutionary Computation*, vol. 1, pp. 53-66, 1997.
- [5] A. Rezaee, Extracting Edge of Images with Ant Colony, *Journal of Electrical Engineering*, vol. 59, no.1, pp. 57-59, 2008.
- [6] J. Tian, W. Yu, and S. Xie, An Ant Colony Optimization Algorithm for Image Edge Detection, *IEEE Congress on Evolutionary Computation*, 2008.
- [7] H. Nezamabadi-pour, S. Saryazdi, and E. Rashedi, Edge Detection Using Ant Algorithms, *Soft Computing*, vol. 10, pp. 623-628, 2006.
- [8] X. Zhuang and N. E. Mastorakis, Edge Detection Based on the Collective Intelligence of Artificial Swarms, *Proceedings of the 4th WSEAS International Conference on Electronic, Signal Processing, and Control*, 2005.
- [9] X. Zhuang, Edge Feature Extraction in Digital Images with the Ant Colony System, *IEEE International Conference in Computational Intelligence for Measurement Systems and Applications*, 2004.
- [10] N. Otsu, A Threshold Selection Method from Gray-level Histograms, *IEEE Transactions on Systems, Man and Cybernetics*, vol. 9, no. 1, pp. 62-66, 1979.
- [11] M. Dorigo and T. Stützle, An Experimental Study of the Simple Ant Colony Optimization Algorithm, *Proceedings of the WSES International Conference on Evolutionary Computation*, 2001.
- [12] C. Chira, D. Dumitrescu, and C. Pintea, Sensitive Ant Model for Combinatorial Optimization, *Proceedings of the 12th WSEAS International Conference on Computers*, 2008.
- [13] I. Ellabib and O. Basir, A Preliminary Study for Multiple Ant Colony System with New Communication Strategies, *Proceedings of the 9th WSEAS International Conference on Communications*, 2005.