

References:

- [1] K. Islam, W. Shen, and X. Wang, "Wireless Sensor Network Reliability and Security in Factory Automation: A Survey," *IEEE Trans. Systems, Man, and Cybernet—Part C*, vol. 42, no.6, pp. 1243-1256, Nov 2012.
- [2] Faheem Ijaz, Adeel A. Siddiqui, Byung Kwan Im, Chankil Lee, "Remote management and control system for LED based Plant Factory using ZigBee and Internet," *Proc. Of ICACT2012*, Feb. 19~22, 2012
- [3] T. S. Rappaport and C. D. McGillem, "UHF fading in factories," *IEEE J. Select. Areas Commun.*, vol. 7, no. 1, pp. 40-48, Jan. 1989.
- [4] S. Kjesbu and T. Brunsvik, "Radiowave propagation in industrial environments," in *Proc. 26th Annual Conference of the IEEE Industrial Electronics Society*, vol. 4, pp. 2425-2430, Oct.2000.
- [5] E. Tanghe, W. Joseph, L. Verloock, L. Martens, H. Capoen, K.V. Herwegen and W. Vantomme, "The Industrial Indoor Channel : Large-Scale and Temporal Fading at 900, 2400 and 5200 MHz" *IEEE Trans. Wireless Commun.*, vol. 7, no.7, pp. 2740- 2750, July 2008.
- [6] K. Mikhaylov, J. Tervonen, J. Heikkila, J. Kansakoski, "Wireless Sensor Networks in Industrial Environment: Real-Life Evaluation Results," in *Proc. BCFIC 2012 Future Internet Communications, 2012 2nd Baltic Congress*, pp. 1-7, Apr 2012.
- [7] Shuiping Luo, Nagesh. Polu, Zhizhang (David) Chen, and Jeff Slipp, "RF Channel Modeling of a WSN Testbed for Industrial Environment," in *Proc. RWS 2011, Radio and Wireless Symposium, Arizona, USA*, pp. 375-378, Jan 2011
- [8] T. S. Rappaport, *Wireless Communications, Principles and Practice*, 2nd ed. Prentice Hall PTR, 2002
- [9] Ghaddar M, Talbi L, A Denidni T., "Human body modelling for prediction of effect of people on indoor propagation channel," *Electron Lett.*, vol.40, pp.1592-4, 2004
- [10] Lee, W. C. Y., "Estimate of local average power of a mobile radio signal", *IEEE Trans. Veh. Technol.*, Vol. 34, No. 1, pp. 22-27, Feb. 1985.