















that the simultaneous implementation of two different routing protocols enables stable network control with comprehensive shortest-path routing and flexible routing that is capable of avoiding sudden congestion. Furthermore, through simulations, we have proved that simultaneous implementation could improve the average delay cost and jitter by comparing with the implementation of each individual routing protocol. Our future goal is to further investigate the effective switchover rules and other criteria.

**Acknowledgements:** Part of this study was sponsored by Grants-in-Aid for the Promotion of Science and Technology (Program for Promotion of Tenure Track System) A07167200 as well as Grants-in Aid for Scientific Research (B) 21300027. We would like to express our appreciation.

#### References:

- [1] Masaki Aida, "Using a Renormalization Group to Create Ideal Hierarchical Network Architecture with Time Scale Dependency," *IEICE Transactions on Communications*, Vol.E95-B, No.5, pp.1488-1500, 2012.
- [2] Masaki Aida, Chisa Takano, Masayuki Murata and Makoto Imase, "A study of control plane stability with retry traffic: Comparison of hard- and soft-state protocols," *IEICE Transactions on Communications*, vol. E91-B, no. 2, pp. 437-445, February 2008.
- [3] Masaki Aida, Chisa Takano, Masayuki Murata and Makoto Imase, "A proposal of quasi-static approach for analyzing the stability of IP telephony systems," *The Seventh International Conference on Networking (ICN 2008)*, April 2008.
- [4] T. Akamatsu, *Cyclic Flows, Markov Process and Transportation Stochastic Assignment*, *Transportation Research*, 30B, pp.369–386, 1996.
- [5] J. Moy, OSPF version 2, RFC2328, 1988.
- [6] Yudai Honma, Masaki Aida, Hideyuki Shimonishi, and Atsushi Iwata, "A New Multi-path Routing Methodology Based on Logit-type Probability Assignment," *IEICE Transactions on Communications*, Vol.E94-B, No.8, pp.2282-2291, 2011.
- [7] Chisa Takano and Masaki Aida, "Autonomous decentralized flow control allowing control timing independent of link length," *IEEE ISADS 2009 Workshops (AHSP 2009)*, Athens, Greece, March 23-25, 2009.
- [8] B. Waxman, Routing of Multipoint Connections. *IEEE Journal on Selected Areas in Communications*, 6, pp.1617–1622, 1998.